

YOU ARE WHAT YOU BREATHE

Siamo ciò che vediamo, ciò che tocchiamo.
Ma soprattutto ciò che immaginiamo.
Siamo veramente noi quando,
a occhi chiusi vediamo intorno,
e nel silenzio, sentiamo dentro.
Siamo aria che vola oltre il nostro spazio. Senza
limiti, senza pesi. Siamo liberi,
come il cielo, in volo, anche solo
per un attimo, da Occidente a Oriente,
da Nord a Sud. Fermi e sospesi, mentre un'aria
nuova ci attraversa. Siamo aperti, coraggiosi
e orgogliosi di essere noi stessi. Amanti della
bellezza e del design.
Amanti della casa, dei suoi ambienti
e dei suoi racconti. Della sua luce e dei suoi
riflessi. Amanti di una tecnologia senza gravità.
Siamo cielo, aria, volo, spazio.
Siamo aria nuova, siamo ciò che respiriamo.
Noi siamo Elica. E tu sei come noi.

We are what we see and touch.
Above all, we are what we imagine.
We are really ourselves when we sense
the world around us with our eyes closed
and in silence.
We are air flying over our space. No
limits, no weights. We are free, like the
sky, flying just for a moment, from the
West to the East, from the North to the
South. Still and hovering, while new air
flows through us. We are open, brave
and proud of being ourselves. Lovers of
beauty and design. Lovers of the home,
its rooms and stories, its light and
reflections. Lovers of gravityless
technology.
We are sky, air, flying, space.
We are new air, we are what we breathe.
We are Elica. And you are like us.

42 PARETE / WALL MOUNTED

52	35CC	98	TAMAYA/TROPIC
54	70CC	83	TENDER
44	AMÉLIE	62	TIFFANY
97	AQUA	100	TONDA
70	BELT	102	TOTEM
72	CAPITOL	87	TRENDY
92	CIRCUS PLUS	77	TUBE
93	CIRCUS/REEF	103	VEGA
74	ELEKTRA	65	VERTIGO

102 ISOLA / ISLAND MOUNTED

118	35CC ISLAND	108	GRACE Suspended	113	NAKED Suspended	133	TRENDY ISLAND
120	70CC ISLAND	140	ICEBERG	110	PLATINUM Suspended	137	TRIBE ISLAND
142	ADAGIO Downdraft	112	ISOLABELLA Suspended	141	REEF ISLAND	126	TUBE ISLAND
117	ALBA CUBO ISLAND	114	JASMINE Suspended	102	SEASHELL Suspended	111	TWIN Suspended
124	CHROME	132	JOY ISLAND	134	SPOT PLUS ISLAND	144	UP Ceiling
138	CIRCUS PLUS ISLAND	115	JULIETTE Suspended	106	STAR Suspended	109	WAVE Suspended
146	CLOUD NINE Ceiling	116	JUNO Suspended			122	YE
104	ÉDITH Suspended	127	KUADRA ISLAND				
148	ÉTOILE Ceiling	125	MENHIR				
136	FLAT GLASS PLUS ISLAND	130	MERIDIANA				
135	FREE SPOT	128	MOON ISLAND				
131	GALAXY ISLAND						

150 ANGOLO / CORNER MOUNTED

152	HYDRA	153	RUBINO CORNER
150	PERSONAL	151	SYNTHESIS

154 INCASSO / BUILT-IN

157	BOX IN	167	ELITE 14
156	BOX IN PLUS	166	ELITE 26
162	ELIBLOC 9/ELIBLOC 3	165	ESTRAIBILE
161	ELIBLOC HT	154	FILO
160	ELIPLANE	158	HIDDEN
164	ELISUMMER	163	KREA



52



122



104



68



48



46




120



50



Scarica il catalogo Elica
Download Elica catalogue



ITALY

MEXICO

INDIA

CHINA


POLAND

GERMANY


SPAIN

RUSSIA


JAPAN




8 PLANTS



6 OFFICES



17.000.000~
output units
(cooker hoods and electric motors)



+3.000
EMPLOYEES



UNI EN ISO 9001



UNI EN ISO 14001



A.E.O.F.
(Authorized Economic
Operator - Full)

CERTIFICATIONS

Senza dimenticare mai le proprie radici, Elica ha il suo headquarter nella sede storica di Fabriano, da dove promuoviamo lo sviluppo di una cultura d'impresa glocal (think global, act local) che fonde in sé tutti i patrimoni di conoscenze che sono parte del suo network produttivo e commerciale nel mondo.

Without ever forgetting its roots, Elica is based in its historical Fabriano headquarters, from where we promote the development of a glocal enterprise culture (think global, act local), which incorporates the entire heritage of knowledge that characterizes its worldwide production and commercial network.



ELICA IS

A worldwide leader in the design and manufacturing of kitchen range hoods. Elica is competence and curiosity, revolution and solidity.

Ever since the beginning in the seventies, the company has cultivated the principles that have distinguished it as a highly qualified sector partner. We revolutionized the traditional image of range hoods: from simple accessories to items with a unique design that can improve the quality of air in the home.

Dynamism, constancy and refinement are the driving forces that push Elica towards changing and searching for “new air”.

Passionate, innovative and original thinking has always been the essence of our company.

VISION

To give exceptional value to customers and professionals, in the field of ventilation, filtering and air purification in the home.

“New air” is Elica payoff: it is the spirit of openness to ideas, challenges and people; it is imagination and building a better future.

Air is precious and belongs to everybody: this awareness guides the work of elica towards new design sensitivity, shaped on emotional aesthetics, functionality, technology and eco-design. Ease of use, installation and competitive value on the market.

ITALIAN EXCELLENCE AND INDUSTRIAL PASSION

Starting consciously from its Italian origins – and from a firm background of technical knowhow and aesthetic intuitions – Elica spreads the unique quality of “Made in Italy” products in the world. Meticulous craftsmanship, technological research and strict control over production processes express our values.

Our philosophy and our method are based on the sharing of knowledge and on the exchange of multiple design and construction skills, combining mechanics with electronics and feeding design with art.

Elica has long benefited from the support of the Fondazione Ermanno Casoli, named after the founder of the company, which promotes projects characterized by a blend of contemporary art and industry.

ELICA È

Leader mondiale nella progettazione e nella realizzazione delle cappe da cucina per uso domestico. Elica è competenza e curiosità, rivoluzione e solidità.

Sin dagli inizi, negli anni '70, l'azienda coltiva quei principi che l'hanno contraddistinta come partner di settore altamente qualificato.

Abbiamo rivoluzionato l'immagine tradizionale delle cappe da cucina: da semplici accessori a oggetti dal design unico, in grado di migliorare la qualità dell'aria in casa.

Pensare con passione, con innovazione, con autenticità: da sempre, l'essenza della nostra azienda.

VISIONE

Dare eccezionale valore ai clienti e ai professionisti, nell'ambito della ventilazione, del filtraggio e della purificazione dell'aria nell'ambiente domestico.

“Aria nuova” è il pay-off di Elica: è apertura alle idee, alle sfide, alle persone; è immaginazione e costruzione di un domani migliore.

L'aria è preziosa e appartiene a tutti: tale consapevolezza orienta il lavoro di Elica verso una nuova sensibilità progettuale, plasmata sull'estetica emozionale, sulla funzionalità, sulla tecnologia, sull'eco-design. Facilità d'uso, d'installazione e valore competitivo sul mercato.

ECCELLENZA ITALIANA E PASSIONE INDUSTRIALE

Partendo con consapevolezza dalle proprie origini italiane – da un solido bagaglio di conoscenze tecniche e intuizioni estetiche – Elica porta la qualità inconfondibile del “Made in Italy” nel mondo. Cura artigiana, ricerca tecnologica e severo controllo dei processi di produzione esprimono i nostri valori. La nostra filosofia e il nostro metodo si basano sulla partecipazione e la condivisione di saperi, sullo scambio progettuale e costruttivo, in una globalità di competenze dove la meccanica si fonde con l'elettronica e l'arte alimenta il design. Elica da anni si avvale, infatti, del contributo della Fondazione Ermanno Casoli, intitolata al fondatore dell'azienda, che promuove progetti di contaminazione tra arte contemporanea e impresa.





PERCHE' SCEGLIERE ELICA

Lunga esperienza nel settore, cura dei dettagli, ricercatezza dei materiali, tecnologie d'avanguardia: sono questi gli elementi che contraddistinguono da sempre i prodotti Elica sul mercato. Pensati e realizzati ascoltando i bisogni e i desideri delle persone, le cappe elica racchiudono l'essenza del "Made in Italy": soluzioni innovative capaci di rispondere alle esigenze legate ai diversi modi di vivere il cibo e la casa in tutto il mondo, senza confini.

DESIGN

Le cappe Elica sono pensate per dialogare con le persone, per aiutarle a definire lo spazio del proprio essere e del proprio fare. L'osservazione dei gesti nella preparazione dei cibi ha portato alla progettazione di oggetti utili e intuitivi che agevolano l'uso dello spazio, lo definiscono e lo arredano.

TECNOLOGIA

Affidabilità, elevate performance, facilità d'installazione ed efficienza energetica: questi i concetti chiave che guidano da sempre la ricerca tecnologica di Elica. Spostando il punto di vista dall'oggetto alla persona, nascono sistemi di aspirazione, di illuminazione e di interazione pensati per rispondere con semplicità a concrete esigenze di utilizzo del prodotto.

ELICA TECHLAB

Tutti i prodotti Elica vengono testati in ElicaTechlab, il laboratorio tecnologico interno i cui controlli di qualità seguono le più rigorose norme internazionali. Nato nel 1988, situato a Serra San Quirico (An) e concepito

secondo la "normativa UNI EN ISO 17025", il laboratorio ElicaTechLab, è l'unico al mondo dedicato all'elettrodomestico cappa, certificato da "UL International Demko". Inoltre, è l'unico in Italia, e tra i pochi in Europa, in grado di effettuare specifici test, in particolare nel settore dell'acustica.

RISPETTO PER L'AMBIENTE

Sviluppo sostenibile, riduzione di emissioni e di consumi nei processi di produzione permettono performance elevate con il minimo impatto ambientale. Essere socialmente responsabili è per l'azienda un impegno primario nei confronti dell'ambiente, del territorio e nelle relazioni con le persone.

QUALITÀ

L'esperienza dei progettisti e la dedizione dei tanti operai si fondono in un unico percorso fatto di passione e attenzione ai particolari: una sintesi che entra nelle case di tutto il mondo. Su ogni modello vengono effettuate prove e test di laboratorio per verificare: efficienza d'aspirazione, sicurezza elettrica, livello sonoro e affidabilità. Al termine della linea di produzione si eseguono controlli di qualità funzionali, estetiche e di packaging. L'attenzione al prodotto continua nella distribuzione, fino alla consegna nelle case. Elica dà la possibilità di estendere la garanzia fino a 5 anni, acquistando pacchetti di servizi diversificati, per tutelare al massimo i clienti. Inoltre, ricambi e accessori per la manutenzione e la pulizia sono messi a disposizione per prolungare la vita dei prodotti.

WHY CHOOSE ELICA

Long experience in the sector, attention to detail, refinement of materials, cutting edge technology: these features have always distinguished Elica products on the market. Designed and made by listening to people's needs and desires, Elica products incorporate the essence of "Made in Italy" business: innovative solutions capable of meeting food and home habits across the entire world.

DESIGN

Elica range hoods are conceived to communicate with people, to help them define the space of their own being and doing. By observing movements in food preparation, Elica has designed useful and intuitive items that facilitate the use of space, define and decorate it.

TECHNOLOGY


Reliability, high performance, ease of installation and energy efficiency: these are the key concepts that have always guided Elica technological research. When shifting the point of view from the object to the person, new suction, lighting and interaction systems can be designed to simply meet concrete requirements of use.

ELICA TechLab

All Elica products are tested in ElicaTechLab, a corporate technological laboratory whose quality controls are in compliance with the strictest international standards. Established in 1988, located in Serra San Quirico (An) and designed in compliance with the standard UNI EN ISO 17025, ElicaTechLab is the only one in the world dedicated to range hoods, certified by "UL International Demko". Moreover, it is the only one in Italy, and among a few in Europe, capable of making specific tests, especially in the field of acoustics.

RESPECT FOR THE ENVIRONMENT

Sustainable development, reduction of emissions and consumption in production processes allows high performance while minimizing the impact on the environment. Social responsibility is a primary commitment to the company, both towards the environment, the territory and people.



QUALITY

The technical skill of designers and the expertise of the team of technicians merge into a single element born of passion and attention to detail: a synthesis entering homes around the globe. All models undergo checks and laboratory tests to ensure: efficient suction, electrical safety, low noise and high reliability. At the end of the production line, checks are conducted on samples to ascertain functional, aesthetic and packaging quality. The focus on the quality of the product continues into distribution and delivery to homes. Elica offers the possibility to extend the warranty to 5 years, by purchasing diversified service packages, to fully protect customers. In addition, spare parts and accessories for maintenance and cleaning are provided to extend the life of the products.

CODICE DI CONDOTTA / CODE OF CONDUCT

Elica e i più prestigiosi marchi di elettrodomestici europei, sostengono il Codice di Condotta Cappe promosso dal CECED. Il codice è un valido strumento per informare l'utente verso un acquisto più consapevole, fornendo tutti gli strumenti per comprendere parametri uniformi nel calcolo dei valori di aspirazione e rumorosità, a garanzia di maggiore trasparenza nelle informazioni. Tutti i dati sono conformi agli standard stabiliti dalle norme europee (EN 60704-2-13, EN 60704-3, EN 61591) e sono compatibili con le informazioni di altri cataloghi che rispecchiano questi standard.

Elica, together with the most prominent domestic appliance brands in Europe, complies with the Cooker Hood Code of Conduct promoted by CECED. The code is very useful in that it helps consumers make more informed decisions about which goods to purchase. For example, it establishes standardised methods of calculating suction/extraction values and noise levels, which can only have a positive effect in boosting transparency of information. All data conforms to European standards (EN 60704-2-13, EN 60704-3, EN 61591) and is comparable to the information in other catalogues that respect these standards.

OM AIR

UNA STORIA DI DESIGN, UNA **VISIONE AL FUTURO**. A HISTORY OF DESIGN, A **VISION OF THE FUTURE**.

Oggi la OM, da sempre icona in casa Elica, si arricchisce di contenuto tecnologico e rinnova il suo stile unico: l'essenziale prende forma. Un nuovo equilibrio di geometrie perfette che scandisce lo spazio ed il tempo nelle semplici forme del cerchio e del quadrato.

An Elica icon over time, OM is enriched with technology and renews its unique style: essentiality takes shape. A new balance of perfect lines articulates space and time in the simple forms of a circle and a square.



Dotata di un anello aspirante che si muove verso l'interno svelando la funzionalità.

Equipped with an extractor ring that moves inwards and reveals its functionality.

- pg. 42 -



70CC ISLAND

SEGNÌ DI UN **CARATTERE DECISO.**
STRONG HOODS FOR **STRONG PERSONALITIES.**

Riflessi e cromatismi scandiscono accenti vintage su materiali tecnologici, soluzioni innovative e linee contemporanee, in un equilibrio esatto tra aria e luce.

Reflections and colours add a splash of vintage style to the cutting-edge materials, innovative solutions and contemporary lines. In this way the perfect balance between air and light is struck.

Design **Fabrizio Crisà**



Tecnica ed intelligenza si svelano nella gamma di soluzioni adottabili per la messa in opera, rendendo Evoque e Dynamique protagoniste del tuo spazio grazie alla capacità di trasformare il proprio ruolo aspirante-filtrante dell'aria.

The range of start-up options demonstrates the technical know-how and intelligence put into the design of Evoque and Dynamique. They are sure to play a central role in your kitchen and prove their versatility with the recirculation-ducted configurations.

CAPPE A PARETE / WALL MOUNTED



35CC

DESIGN, VERSATILITÀ
E PRESTAZIONI AL CUBO.
DESIGN, VERSATILITY
AND PERFORMANCE. CUBED.

La semplicità delle linee disegna un cubo dai raccordi armoniosi, celando performance e versatilità di altissimo livello ed evocando un incontro tra stile retrò e modernità, attraverso l'incastro di materiali e forme.

What stands out about this perfectly formed cube is the simplicity of its lines. High performance and high versatility are enclosed in this box of retro and contemporary style that also mixes materials and shapes.

I modelli offrono un'ampia gamma di varianti per integrarsi nel tuo ambiente e la possibilità di personalizzare la propria versione. Dopotutto, esistono gesti e dettagli che parlano di te, raccontano la tua vita.

We also offer an extensive range of custom options so you can personalise your preferred model to suit the interior. After all, it's the small details that show who you really are and tell the story of your life.

- pg. 52 -

elica



Design **Fabrizio Crisà**

CAPPE A PARETE / WALL MOUNTED

ÉDITH

PASSATO E PRESENTE SI INTRECCIANO NEL SUO **STILE DISCRETO** E NEI SUOI DETTAGLI RICERCATI. PAST AND PRESENT MINGLE IN ITS **DISCREET STYLE** AND REFINED DETAILS.



CAPPE SOPPESE / SUSPENDED

La forma è pensata per essere osservata nella sua interezza. Le linee si inseguono e si richiudono, dando vita ad un profilo perfetto che contiene un cuore di energia e luce. La cappa-lampadario, reinventata in termini di design, migliora ulteriormente la sua funzionalità grazie all'aspirazione perimetrale.

Its shape is designed in order to be viewed in its entirety. The lines follow one another and close up, thus creating a perfect profile that contains a core of energy and light. The suspended light hood, reinvented in terms of design, further enhances its functionality thanks to the perimeter suction.

- pg. 104 -



CAPPE A INCASSO / BUILT-IN

Soluzione all'avanguardia per un modello a scomparsa che, con il suo stile, suggerisce spunti progettuali nella realizzazione degli ambienti cucina, dove nessun dettaglio è lasciato al caso. Elegante il pannello centrale in acciaio o vetro.

Cutting-edge solution for a built-in model whose style suggests design ideas for kitchens where no detail is left to chance. Elegant center steel or glass panel.

- pg. 158 -

HIDDEN

ALTA **EFFICIENZA RACCHIUSA** ELEGANTEMENTE NEL PENSILE.
HIGH **EFFICIENCY CONTAINED** ELEGANTLY IN THE WALL UNIT.



Sembra uscire da un taglio sulla parete, si adatta all'ambiente e ne diviene parte integrante. Grazie alla nuova modalità d'installazione e alla possibilità di personalizzare il pannello estetico, funzionalità, emozione e fascino si incontrano.

It looks like coming out of a cut in the wall, it fits in the environment and becomes part of it. Functionality, emotion and glamour merge thanks to the new mounting option and the possibility to personalize the aesthetic panel.

- pg. 46 -

NUAGE


QUANDO L'AMBIENTE SI FA **DESIGN**. WHEN ENVIRONMENT BECOMES **DESIGN**.

Design **Fabrizio Crisà**

CAPPE A PARETE / WALL MOUNTED

NUAGE

QUANDO L'AMBIENTE SI FA **DESIGN**.
WHEN ENVIRONMENT BECOMES **DESIGN**.



Quando la scopri,
ti sorprende.
Illuminazione diffusa
a LED ed innovativo
filtro ad alto
assorbimento grassi.

When you discover it,
it surprises you.
LED diffuse lighting
and innovative
high-absorption
grease filter.

- pg. 46 -

CAPPE SOSPESSE / SUSPENDED



STAR

UNA **STELLA** IN CUCINA.
A STAR IN THE KITCHEN.

Ricercati giochi di luce ed evocazioni di atmosfere incantate. Gli eleganti prismi in vetro riflettono il preziosismo della cappa star che supera la mera bellezza per abbracciare la funzionalità e l'efficienza.

Redfined lighting games and enchanted atmosphere evocation. The elegant glass prisms reflect the graciousity of the hood Star that exceeds the mere beauty to embrace the functionality and the efficiency.



Star è un oggetto funzionale ma di elegante design che si integra con naturalezza negli ambienti di casa più raffinati.

Star is a functional object but with an elegant design which integrates with the nature of the more refined environments in the house.

- pg. 106 -

elica



Elica Design Center

Il disegno originale lo rende un prodotto di rottura. L'utilizzo del "Cristalplant", materiale ipoallergenico e non tossico, resistente e piacevole al tatto, ne arricchisce la struttura visiva. La finitura vellutata, simile alla pietra naturale, avvolge l'intero monolite e gli dona una leggerezza inaspettata. In Ye l'equilibrio tra forma, colore e materiale è perfetto e trasmette sensazioni di stupore e di familiarità al tempo stesso.

The original design makes it a breakthrough product. The use of "Cristalplant", a hypoallergenic non-toxic material, resistant and agreeable to the touch, enriches its visual structure. The velvety and natural stone-like finish wraps around the entire monolith and gives it unexpected lightness. Ye offers a perfect balance of form, colour and material, which conveys astonishment and familiarity at the same time.

- pg. 122 -

Design **Fabrizio Crisà**

YE

UNA **FORMA INEDITA** DAL MATERIALE INNOVATIVO, MAESTOSA EPPURE LEGGERA.
A NEW MAJESTIC YET **LIGHT SHAPE** WITH INNOVATIVE MATERIAL.

La forma semplice e l'estrema cura dei dettagli danno vita ad un oggetto dalla spiccata personalità. Le curve raffinate, combinate alle dimensioni, rendono Seashell unica, capace di dare prestigio ad ogni ambiente e di creare atmosfere ricercate.

Simple shape and utmost attention to detail generate an object with a distinctive personality. With refined curves and particular Size, Seashell is unique and provides glamour to any environment, creating refined atmospheres.

- pg. 102-

SEASHELL

ALLA SCOPERTA DEL DETTAGLIO.
DISCOVERING **DETAIL.**



Design **Fabrizio Crisà**

CAPPE A PARETE / WALL MOUNTED

ICO

IN UNA FORMA LINEARE ED ESSENZIALE È RACCHIUSO **IL MEGLIO DELLA TECNOLOGIA** DEL SETTORE. ITS SIMPLE, CONTAINS **THE BEST TECHNOLOGY** IN THE INDUSTRY.

Grazie al progetto Less Energy che impiega il sistema-motore Synairgy, il più efficiente al mondo, consente un risparmio del 50% di energia elettrica oltre a garantire aspirazione e silenziosità ottimali in ogni condizione di installazione.

Thanks to the Less Energy project that uses the Synairgy motor system, the most efficient in the world, it is possible make electricity savings of 50% in addition to guaranteeing optimum extraction and noise levels in any installation conditions.



elica



Ico si adatta alle esigenze di utenti attenti ai consumi e che desiderano performance eccellenti per risultati sorprendenti in cucina.

Ico adapts to the needs of users who are careful with consumption and require excellent performance for outstanding results in the kitchen.

- pg. 58 -

Design **Fabrizio Crisà**

Sweet è l'interpretazione contemporanea di un'icona classica. Il design diventa sinuoso e attuale grazie all'utilizzo del tecnopolimero, scandito da una sottile linea d'acciaio lucido che ne accentua le forme disegnando l'evoluzione della cappa camino.

Sweet is a contemporary interpretation of a classic icon. The technopolymer construction is key in creating a contemporary and sinuous design and a thin, polished steel line helps the hood stand out, tracing the progression of the chimney.

- pg. 94 -



SWEET

LA CAPACITÀ DI LEGGERE IL PRESENTE
SUPERANDO **LE MODE**. MAKING SENSE OF THE
PRESENT WHILE GOING BEYOND **TRENDS**.

Design **Fabrizio Crisà**

CAPPE A PARETE / WALL MOUNTED

SWEET

LA CAPACITÀ DI LEGGERE IL PRESENTE
SUPERANDO **LE MODE**. MAKING SENSE OF THE
PRESENT WHILE GOING BEYOND **TRENDS**.

elica



Moderni sistemi di aspirazione perimetrale e di illuminazione a luce strip a led, controllati da comandi capacitivi, sono ideali per diffondere la luce e controllare le emissioni sul piano cottura.

The modern perimeter aspiration system and the LED striplight are controlled by capacitive controls. These help optimise cooking fume capture and control light diffusion respectively.

- pg. 94 -



Design **Fabrizio Crisà**



Design **Fabrizio Crisà**

Il pannello più piccolo per
cotture a basse emissioni di
vapore, quello più grande
o entrambi per cotture più
intense;
il pannello orizzontale
regola l'illuminazione.

The smallest panel is the
one to use for relatively
fume-free cooking, the
biggest one (or both)
can be used for more
intensive cooking and the
horizontal panel is for light
adjustment.

- pg. 56 -

FEEL

UN MOSAICO DI VOLUMI SI RINCORRONO
INTORNO AD UN **SEMPLICE GESTO**.
AN INTRICATE MOSAIC OF VOLUMES
BASED ON A **SIMPLE MOVEMENT**.

L'energia scorre lungo
le superfici, in una
combinazione armoniosa
di luce, aria e funzioni
che si attivano con
un semplice gesto e
si adattano alle tue
esigenze.

Energy flows up and
down its surfaces, with
light, air and touch
activation in total
harmony. The product can
be made to work just the
way you like it as well.





Amélie è un modello che sfida le tendenze, spezza le forme essenziali coniugando classicità e tecnologia, incontrando così tutti i gusti. Il suo carattere combina estetica e semplicità adattandosi con versatilità a tutti gli ambienti.

Amélie is a model that defies trends, breaks essential forms and combines classicism and technology, thus catering to all tastes. Its character combines aesthetics and simplicity, fitting in all environments with versatility.

- pg. 44 -



Design **Fabrizio Crisà**



AMÉLIE

DURATA ED EFFIMERO, MODA E CLASSICITÀ: UNA **CAPPA DALLA DOPPIA ANIMA**. DURABILITY AND TRANSIENCY, FASHION AND CLASSICISM: A **HOOD WITH A DUAL NATURE**.

AMÉLIE

DURATA ED EFFIMERO, MODA E CLASSICITÀ: UNA **CAPPA DALLA DOPPIA ANIMA**. DURABILITY AND TRANSIENCY, FASHION AND CLASSICISM: A **HOOD WITH A DUAL NATURE**.



CAPPE A PARETE / WALL MOUNTED

elica



Design **Fabrizio Crisà**




White



Black



Pop



Beauty



Vintage



Nature




OM AIR

Design FABRIZIO CRISA

AL MOMENTO DELL'ATTIVAZIONE, L'ANELLO CENTRALE SI MUOVE ELETTRONICAMENTE VERSO L'INTERNO
CONSENTENDO L'ASPIRAZIONE PERIMETRALE.
Upon activation, the center ring electronically moves inwards, allowing perimeter suction.

MISURA	75 cm
Size	
FINITURA	VETRO BIANCO, VETRO NERO, VETRO COLORI
Finish	White glass, black glass, coloured glass
VERSIONE	FILTRANTE
Version	Recycling



p. 176


COMANDI	TOUCH CONTROL 3V+I
Controls	3s + B Touch control
ILLUMINAZIONE	STRIP LED 7W
Lighting	Strip LED 7W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	225-475 (625)
LIVELLO SONORO DB(A)	
Noise Level db(A)	42-59 (65)
PRESSIONE (PA)	
Pressure (Pa)	520
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	247
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	INCLUSO	CFC0038668
Charcoal filter	Included	
KIT CAMINO (H450-450)	A RICHIESTA	KIT0010439
Chimney kit (h450-450)	Optional	
KIT CAMINO (H220-270)	A RICHIESTA	KIT0010700
Chimney kit (h220-270)	Optional	
DETTAGLI CAMINI SPECIALI A PAG. 178 See page 178 for Special Chimney Kit		
MODELLO models		
OM AIR WH/F/75		PRF0094734
OM AIR BL/F/75		PRF0094744
OM AIR POP/F/75		PRF0098373
OM AIR BEAUTY/F/75		PRF0100137
OM AIR VINTAGE/F/75		PRF0100138
OM AIR NATURE/F/75		PRF0100231

DISPONIBILE DA SETTEMBRE 2014
Available from September 2014



LOW CONSUMPTION



LED LIGHT



HIGH PERFORMANCE



BACK ASPIRATION



ELICA TOP FILTERING



≥ 45 cm



≥ 45 cm



AMÉLIE WOODWH - cornice bombata in legno naturale sbiancato
whitened natural hood rounded frame



cornice piatta (accessorio a richiesta) - esempio di personalizzazione
flat frame (optional accessory) - example of customization




AMÉLIE MATWH OPACO - cornice bombata in bianco opaco
matt white rounded frame

DISPONIBILE CON CORNICE IN LEGNO BIANCO O SBIANCATO. E' PREVISTA ANCHE UNA VERSIONE SENZA CORNICE.
IN QUEST'ULTIMO CASO È POSSIBILE ACQUISTARE SEPARATAMENTE UNA CORNICE PERSONALIZZABILE IN DUE DIFFERENTI ESTETICHE.

Available with white or bleached wood frame. There is also a frameless version.
In this case, a customizable frame with two different designs can be purchased separately.

MISURA Size	85 cm
FINITURA Finish	SPECCHIO + CORNICE BOMBATA (BIANCA OPACO, LEGNO NATURALE SBIANCATO), SPECCHIO SENZA CORNICE Mirror + rounded frame (matt white, whitened natural wood), mirror no frame
VERSIONE Version	FILTRANTE Recycling



p. 173

COMANDI Controls	PULSANTIERA SOFT LIGHT 3V 3s Soft Light Push Button
ILLUMINAZIONE Lighting	STRIP LED 7W Strip LED 7W
PORTATA IEC (M³/H) IEC airflow (m³/h)	200-500 (650)
LIVELLO SONORO DB(A) Noise Level db(A)	41-61 (67)
PRESSIONE (PA) Pressure (Pa)	519
ASSORBIMENTO TOTALE (W) Total absorption (W)	247
USCITA (MM) Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE Charcoal filter	INCLUSO Included	CFC0038668
KIT FRAME ESTETICA 1 * Kit frame n.1	A RICHIESTA Optional	KIT0098395
KIT FRAME ESTETICA 2 ** Kit frame n.2	A RICHIESTA Optional	KIT0098396
KIT CAMINO (H450-450) Chimney kit (h450-450)	A RICHIESTA Optional	KIT0010439
KIT CAMINO (H220-270) Chimney kit (h220-270)	A RICHIESTA Optional	KIT0010700
DETTAGLI CAMINI SPECIALI A PAG. 178 See page 178 for Special Chimney Kit		
MODELLO models		
AMELIE MATWH OPACO/F/85		PRF0094413
AMELIE WOODWH/F/85		PRF0098371
AMELIE NOFRAME/F/85		PRF0098372

* CORNICE BOMBATA IN LEGNO NATURALE
Natural wood rounded frame

** CORNICE PIATTA IN LEGNO NATURALE
Natural wood flat frame





NUAGE Pannellabile - esempio di personalizzazione
NUAGE Drywall - example of customization



NUAGE Verniciabile - esempio di personalizzazione
NUAGE Paintable - example of customization



NUAGE Pannellabile - esempio di personalizzazione
NUAGE Drywall - example of customization

NUAGE
Design FABRIZIO CRISA

MODELLO UNICO E PERSONALIZZABILE SECONDO LE ESIGENZE DEL CLIENTE. DUE LE VERSIONI DISPONIBILI: PANNELLABILE CON CARTONGESSO (SPESSORE DI 6MM) IN ACCIAIO VERNICIABILE. CARTONGESSO NON COMPRESO NELLA CONFEZIONE. LE IMMAGINI PRESENTATE SONO ESEMPI DI ESTETICHE ESCLUSIVAMENTE DIMOSTRATIVE.

Unique model that can be customized according to the customer's needs. Two versions available: with plasterboard panels (6mm thick) or paintable steel. Drywall not included in the packaging. The images shown are only examples of demonstration designs.

MISURA Size	75 cm
FINITURA Finish	ACCIAIO INOX PANNELLABILE CON CARTONGESSO (NON INCLUSO), ACCIAIO INOX VERNICIABILE Stainless steel to be paneled with drywall (not included), paintable stainless steel
VERSIONE Version	FILTRANTE Recycling



LOW
CONSUMPTION




LED LIGHT



BACK
ASPIRATION



ELICA
TOP FILTERING



p. 176

COMANDI Controls	ROTATIVO ELETTRONICO 3V+I 3S+B electronic rotative
ILLUMINAZIONE Lighting	STRIP LED 7W Strip LED 7W
PORTATA IEC (M³/H) IEC airflow (m³/h)	225-425 (575)
LIVELLO SONORO DB(A) Noise Level db(A)	49-62 (65)
PRESSIONE (PA) Pressure (Pa)	242
ASSORBIMENTO TOTALE (W) Total absorption (W)	267
USCITA (MM) Duct Size (mm)	150
FILTRO GRASSI INOX Grease filter stainless steel	




≥ 50 cm



≥ 65 cm

ACCESSORI accessories		CODICE code
FILTRO CARBONE Charcoal filter	INCLUSO Included	CFC0038668
MODELLO models		
NUAGE DRYWALL/F/75		PRF0096484
NUAGE PAINTABLE/F/75		PRF0098374




ELLE

Design FABRIZIO CRISA

MISURA	
Size	80 cm
FINITURA	VETRO NERO, VETRO BIANCO
Finish	Black glass, white glass
VERSIONE	FILTRANTE
Version	Recycling



LOW
CONSUMPTION



LED LIGHT




HIGH
PERFORMANCE



ELICA
TOP FILTERING




DOUBLE
BREATH



p. 174

COMANDI	INFRARED TOUCH 3V+I
Controls	3S+B InfraRed touch
ILLUMINAZIONE	STRIP LED 7W
Lighting	Strip LED 7W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	225-500 (650)
LIVELLO SONORO DB(A)	
Noise Level db(A)	43-60 (66)
PRESSIONE (PA)	
Pressure (Pa)	526
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	247
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	




≥ 45 cm



≥ 55 cm

ACCESSORI accessories		CODICE code
FILTRO CARBONE	INCLUSO	CFC0038668
Charcoal filter	Included	
KIT CAMINO (H450-475)	A RICHIESTA	KIT0010703
Chimney kit (h450-475)	Optional	
KIT CAMINO (H220-270)	A RICHIESTA	KIT0010704
Chimney kit (h220-270)	Optional	
DETTAGLI CAMINI SPECIALI A PAG. 178		
See page 178 for Special Chimney Kit		
MODELLO models		
ELLE BL/F/80		PRF0094251
ELLE WH/F/80		PRF0097706



SOO

Design FABRIZIO CRISÀ

MISURA	
Size	80 cm
FINITURA	ACCIAIO INOX + VETRO
Finish	Stainless steel + glass
VERSIONE	FILTRANTE
Version	Recycling



LOW
CONSUMPTION



LED LIGHT




HIGH
PERFORMANCE



ELICA
TOP FILTERING



DOUBLE
BREATH



p. 176

COMANDI	INFRARED TOUCH 3V+I
Controls	3S+B InfraRed touch
ILLUMINAZIONE	STRIP LED 7W
Lighting	Strip LED 7W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	225-475 (650)
LIVELLO SONORO DB(A)	
Noise Level db(A)	42-61 (68)
PRESSIONE (PA)	
Pressure (Pa)	511
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	247
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI INOX	
Grease filter stainless steel	



≥ 45 cm



≥ 55 cm

ACCESSORI accessories		CODICE code
FILTRO CARBONE	INCLUSO	CFC0038668
Charcoal filter	Included	
KIT CAMINO (H450-450)	A RICHIESTA	KIT0010439
Chimney kit (h450-450)	Optional	
KIT CAMINO (H220-270)	A RICHIESTA	KIT0010700
Chimney kit (h220-270)	Optional	
DETTAGLI CAMINI SPECIALI A PAG. 178		
See page 178 for Special Chimney Kit		
MODELLO models		
SOO GL/F/80		PRF0096995



35CC DYNAMIQUE - versione aspirante con camino
35CC DYNAMIQUE - duct out version with chimney



Red
Dynamic



Black
Dynamic



Lilac
Dynamic



35CC EVOQUE- versione aspirante con back aspiration
35CC EVOQUE - duct out version with back aspiration system



White
Evoque



Orange
Evoque



Umber
Evoque



35CC


Design FABRIZIO CRISÀ



ACQUISTANDO UN KIT STYLE HAI LA POSSIBILITÀ DI TRASFORMARE LA TUA CAPPA DA EVOQUE A DYNAMIQUE E VICEVERSA (IL KIT STYLE È UN ACCESSORIO SOSTITUTIVO CHE PUÒ ESSERE ACQUISTATO SUCCESSIVAMENTE).

The Kit Style enables you to turn your Evoque hood into a Dynamique hoodand vice versa
(The Kit Style is an optional extra which can be bought after installation)

MISURA	35 cm
Size	
FINITURA	BIANCO, ARANCIO, TORTORA, ROSSO, NERO, LILLA
Finish	White, orange, umber, red, black, lilac
VERSIONE	FILTRANTE
Version	Recycling




p. 172

COMANDI	ROTATIVO ELETTRONICO 3V+I
Controls	3S+B electronic rotative
ILLUMINAZIONE	LED 4X3W
Lighting	Led 4x3W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	270-600 (750)
LIVELLO SONORO DB(A)	
Noise Level db(A)	43-61 (69)
PRESSIONE (PA)	
Pressure (Pa)	440
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	262
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories	INCLUSO	CODICE code
FILTRO CARBONE	Included	CFC0038668
Charcoal filter		
KIT INST. 35CC BACK ASPIRATION	A RICHIESTA	KIT0038773
Inst. kit 35cc back aspiration	Optional	
KIT INST. 35CC/70CC ASPIRANTE	A RICHIESTA	KIT0038774
Inst. kit 35cc/70cc ducting out	Optional	
KIT STYLE 35CC DYNAMIQUE IX	A RICHIESTA	KIT0038784
Kit style 35cc dynamique IX	Optional	
KIT STYLE 35CC EVOQUE IX	A RICHIESTA	KIT0038785
Kit style 35cc evoque IX	Optional	
DETTAGLI CAMINI SPECIALI A PAG. 178		
See page 178 for Special Chimney Kit		

MODELLO models	
35CC EVOQUE WHITE/F/35	PRF0030032
35CC EVOQUE ORANGE/F/35	PRF0038754
35CC EVOQUE UMBER/F/35	PRF0038755
35CC DYNAMIQUE RED/F/35	PRF0038757
35CC DYNAMIQUE BLACK/F/35	PRF0038758
35CC DYNAMIQUE LILAC/F/35	PRF0098931



≥ 50 cm



≥ 65 cm



White
Evoque



Umber
Evoque



Black
Dynamique



Red
Dynamique



70CC

Design FABRIZIO CRISÀ



reddot design award
honourable mention 2012



ACQUISTANDO UN KIT STYLE HAI LA POSSIBILITÀ DI TRASFORMARE LA TUA CAPPA DA EVOQUE A DYNAMIQUE E VICEVERSA (IL KIT STYLE È UN ACCESSORIO SOSTITUTIVO CHE PUÒ ESSERE ACQUISTATO SUCCESSIVAMENTE).

The Kit Style enables you to turn your Evoque hood into a Dynamique hood and vice versa (The Kit Style is an optional extra which can be bought after installation)

MISURA	70 cm
Size	
FINITURA	BIANCO, TORTORA, NERO, ROSSO
Finish	White, umber, black, red
VERSIONE	FILTRANTE
Version	Recycling




LED LIGHT



HIGH
PERFORMANCE



BACK
ASPIRATION



COMANDI	ROTATIVO ELETTRONICO 3V+I
Controls	3S+B electronic rotative
ILLUMINAZIONE	LED 4X3W
Lighting	Led 4x3W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	270-600 (750)
LIVELLO SONORO DB(A)	
Noise Level db(A)	43-61 (69)
PRESSIONE (PA)	
Pressure (Pa)	440
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	262
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	



≥ 50 cm



≥ 65 cm

ACCESSORI accessories	INCLUSO	CODICE code
FILTRO CARBONE	Included	CFC0038668
Charcoal filter		
KIT INST. 70CC BACK ASPIRATION	A RICHIESTA	KIT0038778
Inst. kit 70cc back aspiration	Optional	
KIT INST. 35CC/70CC ASPIRANTE	A RICHIESTA	KIT0038774
Inst. kit 35cc/70cc ducting out	Optional	
KIT STYLE 70CC DYNAMIQUE IX	A RICHIESTA	KIT0038788
Kit style 70cc dynamique IX	Optional	
KIT STYLE 70CC EVOQUE IX	A RICHIESTA	KIT0038789
Kit style 70cc evoque IX	Optional	
DETTAGLI CAMINI SPECIALI A PAG. 178		
See page 178 for Special Chimney Kit		
MODELLO models		
70CC EVOQUE WHITE/F/70		PRF0037056
70CC EVOQUE UMBER/F/70		PRF0038764
70CC DYNAMIQUE BLACK/F/70		PRF0038766
70CC DYNAMIQUE RED/F/70		PRF0038768



FEEL NOIR



FEEL ABSOLUTE



FEEL ABSOLUTE



FEEL EUPHORIA

FEEL

Design FABRIZIO CRISA

FEEL ABSOLUTE
Elementi lucidi su base satinata
Polished elements on a satin base

FEEL NOIR
Elementi satinati su base lucida
Satin elements on a polished base

FEEL EUPHORIA
Elementi lucidi su base lucida
Polished elements on a polished base

DOTATA DI E-MOTION, UN SISTEMA DI CONTROLLO NATURALE E INTUITIVO. IL CONTROLLO DELLE FUNZIONI AVVIENE SFIORANDO I PANNELLI CHE SI ATTIVANO CON UN MOVIMENTO ELETTRONICO.

With e-motion, the natural and intuitive control system. Simply touch the electronically activated panels to operate them.

MISURA	80 cm
Size	
FINITURA	BIANCO, NERO, COLORI (VETRO LUCIDO E SATINATO)
Finish	White, black, colours (polished and satin glass)
VERSIONE	FILTRANTE
Version	Recycling



LED LIGHT




HIGH PERFORMANCE



BACK ASPIRATION



LONG LIFE FILTER



COMANDI	E-MOTION
Controls	E-motion
ILLUMINAZIONE	LED 12W
Lighting	Led 12W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	260-700
LIVELLO SONORO DB(A)	
Noise Level db(A)	44-64
PRESSIONE (PA)	
Pressure (Pa)	460
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	262
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	



≥ 30 cm



≥ 35 cm

ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	INCLUSO	CFC0020331
Long life filter	Included	
KIT CAMINO (H450-450)	A RICHIESTA	KIT0010439
Chimney kit (h450-450)	Optional	
KIT CAMINO (H220-270)	A RICHIESTA	KIT0010700
Chimney kit (h220-270)	Optional	
DETTAGLI CAMINI SPECIALI A PAG. 178		
See page 178 for Special Chimney Kit		
MODELLO models		
FEEL ABSOLUTE F/80		PRF0020287
FEEL NOIR F/80		PRF0020288
FEEL EUPHORIA F/80		PRF0020290



ICO

Design FABRIZIO CRISÀ

CON CHEF CONTROL LA CAPPA NON RISPONDE PIÙ AI COMANDI PERCHÉ SI ADATTA AI BISOGNI. È SUFFICIENTE SCEGLIERE LA COTTURA SUL DISPLAY E CHEF CONTROL TRADUCE LE NECESSITÀ IN COMANDI, IMPOSTANDO AUTOMATICAMENTE L'ASPIRAZIONE OTTIMALE.

With Chef control, the hood no longer responds to controls, but to necessity. All you have to do is select the cooking type on the display and Chef control translates necessity into action, automatically setting the most appropriate airflow power.

MISURA Size	80 cm
FINITURA Finish	VETRO (NERO, BIANCO, SABBIA) + ACCIAIO INOX LUCIDO, ACCIAIO INOX SATINATO + ACCIAIO INOX LUCIDO Glass (black, white, light brown) + shiny stainless steel, brushed stainless steel + shiny stainless steel
VERSIONE Version	FILTRANTE Recycling



LOW
CONSUMPTION



LED LIGHT




HIGH
PERFORMANCE



BACK
ASPIRATION



LONG LIFE
FILTER



p. 175

COMANDI Controls	CHEF CONTROL Chef control
ILLUMINAZIONE Lighting	LED 2X3W Led 2x3W
PORTATA IEC (M³/H) IEC airflow (m³/h)	200-680
LIVELLO SONORO DB(A) Noise Level db(A)	44-68
PRESSIONE (PA) Pressure (Pa)	480
ASSORBIMENTO TOTALE (W) Total absorption (W)	158
USCITA (MM) Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO Grease filter aluminium	



≥ 30 cm




≥ 35 cm


ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA Long life filter	INCLUSO Included	F00439
KIT CAMINO (H450-475) Chimney kit (h450-475)	A RICHIESTA Optional	KIT0010703
KIT CAMINO (H220-270) Chimney kit (h220-270)	A RICHIESTA Optional	KIT0010704
DETTAGLI CAMINI SPECIALI A PAG. 178 See page 178 for Special Chimney Kit		
MODELLO models		
ICO BL/F/80		PRF0010404
ICO WH/F/80		PRF0010405
ICO SAND F/80		PRF0023487
ICO IX/F/80		PRF0010406




MISURA	
Size	80 - 110 cm
FINITURA	VETRO NERO, VETRO BIANCO
Finish	Black glass, white glass
VERSIONE	FILTRANTE
Version	Recycling



COMANDI	INFRARED TOUCH 3V+I
Controls	3S+B InfraRed touch
ILLUMINAZIONE	LED 2X6W
Lighting	Led 2x6W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	240-490 (610)
LIVELLO SONORO DB(A)	
Noise Level db(A)	45-57 (65)
PRESSIONE (PA)	
Pressure (Pa)	500
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	262
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	



ACCESSORI accessories		CODICE code
FILTRO CARBONE	INCLUSO	CFC0038668
Charcoal filter	Included	
KIT LONG CAMINO	A RICHIESTA	KIT0038310
Long chimney kit	Optional	
KIT SHORT CAMINO	A RICHIESTA	KIT0038311
Long chimney kit	Optional	
DETTAGLI CAMINI SPECIALI A PAG. 178		
See page 178 for Special Chimney Kit		
MODELLO models		
TIFFANY BL/F/80		PRF0038190
TIFFANY WH/F/80		PRF0038250
TIFFANY BL/F/110		PRF0038212
TIFFANY WH/F/110		PRF0038251



p. 176




MISURA	80 cm
Size	
FINITURA	VETRO NERO, VETRO BIANCO
Finish	Black glass, white glass
VERSIONE	FILTRANTE
Version	Recycling

COMANDI	TOUCH CONTROL 3V+I
Controls	3s + B Touch control
ILLUMINAZIONE	NEON 2X14W
Lighting	Neon 2x14W
PORTATA IEC (M³/H)	270-570 (720)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	43-57 (62)
Noise Level db(A)	
PRESSIONE (PA)	480
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	285
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	INCLUSO	F00439
Long life filter	Included	
KIT CAMINO (H450-450)	A RICHIESTA	KIT0010439
Chimney kit (h450-450)	Optional	
KIT CAMINO (H220-270)	A RICHIESTA	KIT0010700
Chimney kit (h220-270)	Optional	
DETTAGLI CAMINI SPECIALI A PAG. 178		
See page 178 for Special Chimney Kit		

MODELLO models	
SINFONIA BL/F/80	PRF0010417
SINFONIA WH/F/80	PRF0010418



p. 177


MISURA	90 - 120 cm
Size	
FINITURA	VETRO NERO, VETRO BIANCO
Finish	Black glass, white glass
VERSIONE	FILTRANTE
Version	Recycling

COMANDI	TOUCH CONTROL 3V+I
Controls	3s + B Touch control
ILLUMINAZIONE	HALO 2X20W EASY OPEN
Lighting	Halo 2x20W easy open
PORTATA IEC (M³/H)	220-500 (650)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	43-51 (67)
Noise Level db(A)	
PRESSIONE (PA)	450
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	290
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	INCLUSO	CFC0038668
Charcoal filter	Included	
KIT CAMINO (H460-475 IX)	A RICHIESTA	KIT01513
Chimney kit (h460-475 IX)	Optional	
KIT CAMINO (H240-270 IX)	A RICHIESTA	KIT01797
Chimney kit (h240-270 IX)	Optional	
DETTAGLI CAMINI SPECIALI A PAG. 178		
See page 178 for Special Chimney Kit		

MODELLO models	
VERTIGO BL/F/90	PRF0079553
VERTIGO WH/F/90	PRF0079554
VERTIGO BL/F/120	PRF0079555
VERTIGO WH/F/120	PRF0079556





≥ 50 cm




≥ 65 cm



HIGH PERFORMANCE



LONG LIFE FILTER



p. 176



MISURA	80 cm
Size	
FINITURA	VETRO NERO+ACCIAIO INOX, VETRO BIANCO+ACCIAIO INOX
Finish	Black glass + stainless steel, white glass + stainless steel
VERSIONE	FILTRANTE
Version	Recycling

COMANDI	TOUCH CONTROL 3V+I
Controls	3s + B Touch control
ILLUMINAZIONE	HALO 4X20W
Lighting	Halo 4x20W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	270-570 (730)
LIVELLO SONORO DB(A)	
Noise Level db(A)	44-63 (67)
PRESSIONE (PA)	
Pressure (Pa)	480
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	330
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	INCLUSO	F00439
Long life filter	Included	
KIT CAMINO (H450-450)	A RICHIESTA	KIT01054
Chimney kit (h450-450)	Optional	
KIT CAMINO (H220-270)	A RICHIESTA	KIT01796
Chimney kit (h220-270)	Optional	
DETTAGLI CAMINI SPECIALI A PAG. 178		
See page 178 for Special Chimney Kit		
MODELLO models		
OM TOUCH SCREEN BL/F/80		61612979/1
OM TOUCH SCREEN WH/F/80		61612978/1



≥ 50 cm




≥ 65 cm



BACK ASPIRATION



LONG LIFE FILTER



p. 176



MISURA	55 cm
Size	
FINITURA	VETRO NERO, VETRO BIANCO
Finish	Black glass, white glass
VERSIONE	FILTRANTE
Version	Recycling

COMANDI	PULSANTIERA SOFT LIGHT 3V
Controls	3s Soft Light Push Button
ILLUMINAZIONE	HALO 2X20W
Lighting	Halo 2x20W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	270-650
LIVELLO SONORO DB(A)	
Noise Level db(A)	42-64
PRESSIONE (PA)	
Pressure (Pa)	490
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	290
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	


ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	INCLUSO	F00431/S
Long life filter	Included	
KIT CAMINO (H460-475 IX)	A RICHIESTA	KIT01513
Chimney kit (h460-475 IX)	Optional	
KIT CAMINO (H240-270 IX)	A RICHIESTA	KIT01797
Chimney kit (h240-270 IX)	Optional	
DETTAGLI CAMINI SPECIALI A PAG. 178		
See page 178 for Special Chimney Kit		
MODELLO models		
MINI OM BL/F/55		61614583
MINI OM WH/F/55		61614584



IL SISTEMA ELICA DEEP SILENCE (EDS3) PERMETTE UNA FUNZIONALITÀ ESTREMAMENTE SILENZIOSA, ADDIRITTURA IMPERCETTIBILE ALLE BASSE VELOCITÀ, CON UNA RIDUZIONE DELL' INQUINAMENTO ACUSTICO AMBIENTALE DI OLTRE IL 35% RISPETTO ALLE CAPPE TRADIZIONALI.

The Elica Deep Silence (EDS3) system allows the hood to function with the lowest level of noise possible - in fact, at low speeds, there is no perceptible noise at all. This reduction in domestic noise pollution of more than 35% with respect to traditional cooker.

MISURA	Ø 78 cm
Size	
FINITURA	VETRO NERO + ACCIAIO INOX LUCIDO, VETRO BIANCO + ACCIAIO INOX LUCIDO
Finish	Black glass + shiny stainless steel, white glass + shiny stainless steel
VERSIONE	ASPIRANTE
Version	Duct out



p. 176

COMANDI	DIGITAL-R 3V+I
Controls	3S+B digital-R
ILLUMINAZIONE	HALO 2X20W
Lighting	Halo 2x20W
PORTATA IEC (M³/H)	270-550 (750)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	36-51 (57)
Noise Level db(A)	
PRESSIONE (PA)	560
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	290
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI EDS3	
Grease filter EDS3	

ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	A RICHIESTA	CFC0097952
Long life filter	Optional	
KIT EST. CAMINO (H800MM IX)	A RICHIESTA	KIT01932
Chimney ext. kit (h800mm IX)	Optional	

MODELLO models	
SPACE EDS DIGITAL R BL/A/78	68815548B
SPACE EDS DIGITAL R WH A/78	68816317B



HIGH
PERFORMANCE



ELICA
DEEP SILENCE



LONG LIFE
FILTER



≥ 50 cm




≥ 65 cm



IL CAMINO È INCLUSO: NERO PER LA VERSIONE VETRO NERO E INOX PER LE VERSIONI BIANCA E ACCIAIO.
The chimney is included: black for the black glass version and stainless steel for the white and steel versions.

MISURA	
Size	60 - 90 cm
FINITURA	VETRO NERO, VETRO BIANCO, ACCIAIO INOX
Finish	Black glass, white glass, stainless steel
VERSIONE	ASPIRANTE
Version	Duct out



COMANDI	TOUCH CONTROL 3V+I
Controls	3s + B Touch control
ILLUMINAZIONE	HALO 2X20W
Lighting	Halo 2x20W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	200-300 (400)
LIVELLO SONORO DB(A)	
Noise Level db(A)	43-53 (59)
PRESSIONE (PA)	
Pressure (Pa)	277
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	210
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	




ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	CFC0038668
Charcoal filter	Optional	
MODELLO models		
STRIPE BL/A/60		PRF0098114
STRIPE WH/A/60		PRF0098130
STRIPE IX/A/60		PRF0098155
STRIPE BL/A/90		PRF0096963
STRIPE WH/A/90		PRF0098110
STRIPE IX/A/90		PRF0098169



BELT

Design FABRIZIO CRISÀ

MISURA	55 - 80 cm
Size	
FINITURA	VETRO (NERO, BIANCO) + ACCIAIO INOX LUCIDO, ACCIAIO INOX SATINATO + ACCIAIO INOX LUCIDO
Finish	Glass (black, white) + shiny stainless steel, brushed stainless steel + shiny stainless steel
VERSIONE	FILTRANTE
Version	Recycling



p. 173

COMANDI	TOUCH CONTROL 3V+I
Controls	3s + B Touch control
ILLUMINAZIONE	HALO 2X20W
Lighting	Halo 2x20W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	220-500 (650)
LIVELLO SONORO DB(A)	
Noise Level db(A)	43-61 (67)
PRESSIONE (PA)	
Pressure (Pa)	450
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	290
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	



≥ 40 cm




≥ 50 cm

ACCESSORI accessories		CODICE code
FILTRO CARBONE	INCLUSO	CFC0038668
Charcoal filter	Included	
KIT CAMINO (H430-460)	A RICHIESTA	KIT0010519 (55 cm)
Chimney kit (h430-460)	Optional	
KIT CAMINO (H220-245)	A RICHIESTA	KIT0010701 (55 cm)
Chimney kit (h220-245)	Optional	
KIT CAMINO (H450-450)	A RICHIESTA	KIT0010439 (80 cm)
Chimney kit (h450-450)	Optional	
KIT CAMINO (H220-270)	A RICHIESTA	KIT0010700 (80 cm)
Chimney kit (h220-270)	Optional	
DETTAGLI CAMINI SPECIALI A PAG. 178		
See page 178 for Special Chimney Kit		
MODELLO models		
BELT BL/F/55		PRF0034211
BELT WH/F/55		PRF0038445
BELT IX/F/55		PRF0034012
BELT BL/F/80		PRF0032793
BELT WH/F/80		PRF0038443
BELT IX/F/80		PRF0033852





MISURA	
Size	80 cm
FINITURA	VETRO NERO, VETRO BIANCO, ACCIAIO INOX
Finish	Black glass, white glass, stainless steel
VERSIONE	FILTRANTE
Version	Recycling



p. 173

COMANDI	ROTATIVO ELETTRONICO 3V+I
Controls	3S+B electronic rotative
ILLUMINAZIONE	HALO 2X20W
Lighting	Halo 2x20W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	230-500 (650)
LIVELLO SONORO DB(A)	
Noise Level db(A)	45-61 (68)
PRESSIONE (PA)	
Pressure (Pa)	450
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	290
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	



≥ 40 cm



≥ 50 cm

ACCESSORI accessories		CODICE code
FILTRO CARBONE	INCLUSO	CFC0038668
Charcoal filter	Included	
KIT CAMINO (H450-450)	A RICHIESTA	KIT0010439
Chimney kit (h450-450)	Optional	
KIT CAMINO (H220-270)	A RICHIESTA	KIT0010700
Chimney kit (h220-270)	Optional	
DETTAGLI CAMINI SPECIALI A PAG. 178		
See page 178 for Special Chimney Kit		
MODELLO models		
CAPITOL BL/F/80		PRF0038700
CAPITOL WH/F/80		PRF0038701
CAPITOL IX/F/80		PRF0038702



ELEKTRA



TUBE

Elica Design Center



≥ 50 cm




≥ 65 cm



HIGH
PERFORMANCE



LONG LIFE
FILTER



p. 173



MISURA Size	55 - 80 cm
FINITURA Finish	ACCIAIO INOX Stainless steel
VERSIONE Version	FILTRANTE Recycling

COMANDI Controls	TOUCH CONTROL CON DISPLAY 3V+I 3s + B touch control with display
ILLUMINAZIONE Lighting	HALO 2X20W Halo 2x20W
PORTATA IEC (M³/H) IEC airflow (m³/h)	270-570 (730)
LIVELLO SONORO DB(A) Noise Level db(A)	44-63(67)
PRESSIONE (PA) Pressure (Pa)	480
ASSORBIMENTO TOTALE (W) Total absorption (W)	290
USCITA (MM) Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO Grease filter aluminium	

ACCESSORI accessories

FILTRO LUNGA DURATA Long life filter	INCLUSO Included	F00439
KIT CAMINO (H560-445 IX) Chimney kit (h560-445mm IX)	A RICHIESTA Optional	KIT0008747A

MODELLO models

ELEKTRA IX/F/55	PRF0006407A
ELEKTRA IX/F/80	PRF0006872A

CODICE code

F00439

KIT0008747A



≥ 50 cm




≥ 65 cm



HIGH
PERFORMANCE



LONG LIFE
FILTER




MISURA Size	Ø 43 cm
FINITURA Finish	ACCIAIO INOX Stainless steel
VERSIONE Version	ASPIRANTE Duct out

COMANDI Controls	TOUCH CONTROL CON DISPLAY 3V+I 3s + B touch control with display
ILLUMINAZIONE Lighting	HALO 2X20W Halo 2x20W
PORTATA IEC (M³/H) IEC airflow (m³/h)	250-470 (550)
LIVELLO SONORO DB(A) Noise Level db(A)	45-55 (65)
PRESSIONE (PA) Pressure (Pa)	470
ASSORBIMENTO TOTALE (W) Total absorption (W)	290
USCITA (MM) Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO Grease filter aluminium	

ACCESSORI accessories	CODICE code
FILTRO LUNGA DURATA Long life filter	A RICHIESTA Optional F0043I/S

MODELLO models
TUBE IX/A/43 PRF0007783




MISURA	Size	Ø 33 cm
FINITURA	Finish	ACCIAIO INOX, BIANCO
VERSIONE	Version	ASPIRANTE
		Duct out

COMANDI	PULSANTIERA SOFT LIGHT 3V
Controls	3s Soft Light Push Button
ILLUMINAZIONE	HALO 2X20W
Lighting	Halo 2x20W
PORTATA IEC (M³/H)	260-630
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	45-65
Noise Level db(A)	
PRESSIONE (PA)	440
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	215
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI PROFESSIONAL INOX	
Grease filter professional stainless steel	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	

MODELLO models		
STONE IX/A/33		61412862A
STONE WH/A/33		PRF0007123




MISURA	Size	43 - 60 cm
FINITURA	Finish	ACCIAIO INOX
VERSIONE	Version	ASPIRANTE
		Duct out

COMANDI	TOUCH CONTROL CON DISPLAY 3V+I
Controls	3s + B touch control with display
ILLUMINAZIONE	HALO 2X20W
Lighting	Halo 2x20W
PORTATA IEC (M³/H)	250-470 (550)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	45-55 (65)
Noise Level db(A)	
PRESSIONE (PA)	470
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	290
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	A RICHIESTA	F00431/S
Long life filter	Optional	

MODELLO models		
KUADRA IX/A/43		PRF0006491
KUADRA IX/A/60		PRF0007419





MISURA	
Size	60 - 90 cm
FINITURA	ACCIAIO INOX, NERO GOFFRATO
Finish	Stainless steel, embossed black
VERSIONE	ASPIRANTE
Version	Duct out



LED LIGHT




HIGH
PERFORMANCE



ELICA
TOP FILTERING



EASY
INSTALLATION



COMANDI	ROTATIVO ELETTRONICO 3V+I
Controls	3S+B electronic rotative
ILLUMINAZIONE	LED 2X2,5W
Lighting	Led 2x2,5W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	250-500 (625)
LIVELLO SONORO DB(A)	
Noise Level db(A)	53-66 (71)
PRESSIONE (PA)	
Pressure (Pa)	493
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	260
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	





≥ 50 cm



≥ 65 cm

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	

MODELLO models	
LOL IX/A/60	PRF0097149
LOL IX/A/90	PRF0097323
LOL BL/A/60	PRF0097782
LOL BL/A/90	PRF0097906





IL SISTEMA ELICA DEEP SILENCE (EDS3) PERMETTE UNA FUNZIONALITÀ ESTREMAMENTE SILENZIOSA, ADDIRITTURA IMPERCETTIBILE ALLE BASSE VELOCITÀ, CON UNA RIDUZIONE DELL' INQUINAMENTO ACUSTICO AMBIENTALE DI OLTRE IL 35% RISPETTO ALLE CAPPE TRADIZIONALI.

The Elica Deep Silence (EDS3) system allows the hood to function with the lowest level of noise possible – in fact, at low speeds, there is no perceptible noise at all. This reduction in domestic noise pollution of more than 35% with respect to traditional cooker.

MISURA	90 - 120 cm
Size	
FINITURA	ACCIAIO INOX + VETRO NERO
Finish	Stainless steel + black glass
VERSIONE	ASPIRANTE
Version	Duct out

ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	A RICHIESTA	CFC0097952
Long life filter	Optional	
MODELLO models		
HORIZONTE EDS IX VT/A/90		69915933A
HORIZONTE EDS IX VT/A/120		69915934A

COMANDI	TOUCH CONTROL 3V+I
Controls	3s + B Touch control
ILLUMINAZIONE	HALO 2X20W
Lighting	Halo 2x20W
PORTATA IEC (M³/H)	250-500 (650)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	40-56 (62)
Noise Level db(A)	
PRESSIONE (PA)	450
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	290
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI EDS3	
Grease filter EDS3	




IL SISTEMA ELICA DEEP SILENCE (EDS3) PERMETTE UNA FUNZIONALITÀ ESTREMAMENTE SILENZIOSA, ADDIRITTURA IMPERCETTIBILE ALLE BASSE VELOCITÀ, CON UNA RIDUZIONE DELL' INQUINAMENTO ACUSTICO AMBIENTALE DI OLTRE IL 35% RISPETTO ALLE CAPPE TRADIZIONALI.

The Elica Deep Silence (EDS3) system allows the hood to function with the lowest level of noise possible – in fact, at low speeds, there is no perceptible noise at all. This reduction in domestic noise pollution of more than 35% with respect to traditional cooker.

MISURA	90 cm
Size	
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	ASPIRANTE
Version	Duct out

ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	A RICHIESTA	CFC0097952
Long life filter	Optional	
MODELLO models		
TENDER EDS IX/A/90		55916232A

COMANDI	LCD 3V+I
Controls	3S+B LCD
ILLUMINAZIONE	HALO 2X20W
Lighting	Halo 2x20W
PORTATA IEC (M³/H)	270-550 (750)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	36-51 (57)
Noise Level db(A)	
PRESSIONE (PA)	550
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	280
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI EDS3	
Grease filter EDS3	





MISURA	60 - 90 - 120 cm
Size	
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	ASPIRANTE
Version	Duct out

COMANDI	TOUCH CONTROL 3V+I
Controls	3s + B Touch control
ILLUMINAZIONE	NEON 1X14W(60CM) 1X21W(90 CM) 1X28W(120 CM)
Lighting	Neon 1X14W(60cm) 1x21W(90 cm) 1x28W(120 cm)
PORTATA IEC (M³/H)	290-570 (720)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	46-64 (69)
Noise Level db(A)	
PRESSIONE (PA)	480
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	290
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI INOX	
Grease filter stainless steel	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	

MODELLO models	
MOON IX/A/60	PRF0091764
MOON IX/A/90	PRF0079550
MOON IX/A/120	PRF0079551



MISURA	80 cm
Size	
FINITURA	ACCIAIO INOX + VETRO NERO, ACCIAIO INOX + VETRO BIANCO
Finish	Stainless steel + black glass, stainless steel + white glass
VERSIONE	ASPIRANTE
Version	Duct out

COMANDI	TOUCH CONTROL 3V+I
Controls	3s + B Touch control
ILLUMINAZIONE	HALO 2X20W
Lighting	Halo 2x20W
PORTATA IEC (M³/H)	290-570 (720)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	46-64 (69)
Noise Level db(A)	
PRESSIONE (PA)	480
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	290
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	

MODELLO models	
GALAXY BLIX/A/80	PRF0008948
GALAXY WHIX/A/80	PRF0009822




SPOT PLUS

Elica Design Center



TRENDY

Elica Design Center




MISURA	60 - 90 - 120 cm
Size	
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	ASPIRANTE
Version	Duct out

COMANDI	LCD 3V+I
Controls	3S+B LCD
ILLUMINAZIONE	LED 2X2,5W
Lighting	Led 2x2,5W
PORTATA IEC (M³/H)	224-304 (619)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	44-61 (69)
Noise Level db(A)	
PRESSIONE (PA)	529
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	265
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	

MODELLO models	
SPOT PLUS IX/A/60	PRF0097374
SPOT PLUS IX/A/90	PRF0097373
SPOT PLUS IX/A/120	PRF0100242

DISPONIBILE DA SETTEMBRE 2014
Available from September 2014



MISURA	60 - 90 - 120 cm
Size	
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	ASPIRANTE
Version	Duct out


COMANDI	TOUCH CONTROL CON DISPLAY 3V+I
Controls	3s + B touch control with display
ILLUMINAZIONE	HALO 2X20W
Lighting	Halo 2x20W
PORTATA IEC (M³/H)	290-570 (720)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	46-64 (69)
Noise Level db(A)	
PRESSIONE (PA)	480
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	290
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI INOX	
Grease filter stainless steel	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	

MODELLO models	
TRENDY IX/A/60	PRF0027024
TRENDY IX/A/90	PRF0027022
TRENDY IX/A/120	PRF0027023

SPOT

SPOT NG/CRUISE



MISURA	60 - 90 - 120 (h 6 - 10) cm	
Size		
FINITURA	ACCIAIO INOX	
Finish	Stainless steel	
VERSIONE	ASPIRANTE	
Version	Duct out	


	STD	LUX
COMANDI	PULS. MECCANICA 3V	PULS. MECCANICA 3V
Controls	3S mech. push button	3S mech. push button
ILLUMINAZIONE	HALO 2X20W(3X20W 120CM)	HALO 2X20W(3X20W 120CM)
Lighting	Halo 2x20W(3x20 120 cm)	Halo 2x20W(3x20 120 cm)
PORTATA IEC (M³/H)		
IEC airflow (m³/h)	200-430	260-630
LIVELLO SONORO DB(A)		
Noise Level db(A)	48-62	48-66
PRESSIONE (PA)		
Pressure (Pa)	280	470
ASSORBIMENTO TOTALE (W)		
Total absorpction (W)	210 (230-120 cm)	215 (235-120 cm)
USCITA (MM)		
Duct Size (mm)	120-150	120-150

FILTRO GRASSI ALLUMINIO
Grease filter aluminium



ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	
KIT EST. CAMINO (+230MM IX)	A RICHIESTA	KIT00780
Chimney ext. kit (+230mm IX)	Optional	

MODELLO models	
SPOT H6 ST IX A/60	55911351/1
SPOT H6 ST IX A/90	55911345/1
SPOT H6 ST IX A/120	55911358/1
SPOT H6 LX IX A/60	55911352/1
SPOT H6 LX IX A/90	55911346/1
SPOT H6 LX IX A/120	55911359/1
SPOT H10 ST IX A/60	55911204/1
SPOT H10 ST IX A/90	55911177/1
SPOT H10 ST IX A/120	55911178/1
SPOT H10 LX IX A/60	55911205/1
SPOT H10 LX IX A/90	55911179/1
SPOT H10 LX IX A/120	55911180/1



MISURA	60 - 90 - 120 (h 6 - 10) cm	
Size		
FINITURA	ACCIAIO INOX	
Finish	Stainless steel	
VERSIONE	ASPIRANTE	
Version	Duct out	

	SPOT NG	CRUISE
COMANDI	PULS. MECCANICA 3V	TOUCH CONTR. DISPLAY 3V+I
Controls	3S mech. push button	3s+B touch control with display
ILLUMINAZIONE	HALO 2X20W	HALO 2X20W
Lighting	Halo 2x20W	Halo 2x20W
PORTATA IEC (M³/H)		
IEC airflow (m³/h)	200-400	260-580 (750)
LIVELLO SONORO DB(A)		
Noise Level db(A)	44-62	46-63 (69)
PRESSIONE (PA)		
Pressure (Pa)	190	450
ASSORBIMENTO TOTALE (W)		
Total absorpction (W)	160	215
USCITA (MM)		
Duct Size (mm)	120-150	150

FILTRO GRASSI ALLUMINIO
Grease filter aluminium






≥ 50 cm



≥ 65 cm



LONG LIFE
FILTER



MISURA	60 - 90 cm
Size	
FINITURA	ACCIAIO INOX + VETRO NERO, ACCIAIO INOX + VETRO BIANCO
Finish	Stainless steel + black glass, stainless steel + white glass
VERSIONE	ASPIRANTE
Version	Duct out

COMANDI	TOUCH CONTROL 3V+I
Controls	3s + B Touch control
ILLUMINAZIONE	HALO 2X20W
Lighting	Halo 2x20W
PORTATA IEC (M³/H)	200-300 (400)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	45-53 (62)
Noise Level db(A)	
PRESSIONE (PA)	175
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	210
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	


MODELLO models	
JOY BLIX/A/60	PRF0038486
JOY BLIX/A/90	PRF0038485
JOY WHIX/A/60	PRF0041669
JOY WHIX/A/90	PRF0041668



≥ 50 cm



≥ 65 cm



MISURA	90 cm
Size	
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	FILTRANTE
Version	Recycling

COMANDI	PULSANTIERA MECCANICA 3V
Controls	3S mechanical push button
ILLUMINAZIONE	HALO 2X20W
Lighting	Halo 2x20W
PORTATA IEC (M³/H)	240-410
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	50-64
Noise Level db(A)	
PRESSIONE (PA)	270
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	210
Total absorption (W)	
USCITA (MM)	120
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	INCLUSO	F00333/S
Charcoal filter	Included	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	

MODELLO models	
ICE IX/F/90	PRF0046496

FLAT GLASS PLUS

Elica Design Center





FLAT GLASS/ TRIBE



90 | PARETE wall mounted

PARETE wall mounted | 91





MISURA Size	90 cm
FINITURA Finish	ACCIAIO INOX + VETRO Stainless steel + glass
VERSIONE Version	ASPIRANTE Duct out

ACCESSORI accessories		CODICE code
FILTRO CARBONE Charcoal filter	A RICHIESTA Optional	F00333/S
FILTRO LUNGA DURATA Long life filter	A RICHIESTA Optional	F00262/3S

MODELLO models	
FLAT GLASS PLUS IX/A/90	PRF0097368

DISPONIBILE DA SETTEMBRE 2014
Available from September 2014

COMANDI Controls	LCD 3V+I 3S+B LCD
ILLUMINAZIONE Lighting	LED 2X2,5W Led 2x2,5W
PORTATA IEC (M ³ /H) IEC airflow (m ³ /h)	224-304 (619)
LIVELLO SONORO DB(A) Noise Level db(A)	44-61 (69)
PRESSIONE (PA) Pressure (Pa)	529
ASSORBIMENTO TOTALE (W) Total absorption (W)	265
USCITA (MM) Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO Grease filter aluminium	



MISURA Size	60 - 90 cm
FINITURA Finish	ACCIAIO INOX + VETRO Stainless steel + glass
VERSIONE Version	ASPIRANTE Duct out

ACCESSORI accessories		CODICE code
FILTRO CARBONE Charcoal filter	A RICHIESTA Optional	F00333/S
FILTRO LUNGA DURATA Long life filter	A RICHIESTA Optional	F00262/3S

MODELLO models	
FLAT GLASS IX/A/60	68516391
FLAT GLASS IX/A/90	68516390
TRIBE IX/A/60	68517540
TRIBE IX/A/90	68517543





	FLAT GLASS	TRIBE
	PULS. MECCANICA 3V 3S mech. push button	TOUCH CONTROL DISPLAY 3V+I 3s + B touch control display
COMANDI Controls		
ILLUMINAZIONE Lighting	HALO 2X20W Halo 2x20W	HALO 2X20W Halo 2x20W
PORTATA IEC (M ³ /H) IEC airflow (m ³ /h)	200-400	260-580 (750)
LIVELLO SONORO DB(A) Noise Level db(A)	44-62	46-63 (69)
PRESSIONE (PA) Pressure (Pa)	190	450
ASSORBIMENTO TOTALE (W) Total absorption (W)	160	215
USCITA (MM) Duct Size (mm)	120-150	150
FILTRO GRASSI ALLUMINIO Grease filter aluminium		

CIRCUS PLUS

Elica Design Center



CIRCUS/REEF



MISURA	90 cm
Size	
FINITURA	ACCIAIO INOX + VETRO
Finish	Stainless steel + glass
VERSIONE	ASPIRANTE
Version	Duct out

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	

MODELLO models	
CIRCUS PLUS IX/A/90	PRF0097372

DISPONIBILE DA SETTEMBRE 2014
Available from September 2014


COMANDI	LCD 3V+I
Controls	3S+B LCD
ILLUMINAZIONE	LED 2X2,5W
Lighting	Led 2x2,5W
PORTATA IEC (M ³ /H)	224-304 (619)
IEC airflow (m ³ /h)	
LIVELLO SONORO DB(A)	44-61 (69)
Noise Level db(A)	
PRESSIONE (PA)	529
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	265
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

MISURA	60 - 90 cm
Size	
FINITURA	ACCIAIO INOX + VETRO
Finish	Stainless steel + glass
VERSIONE	ASPIRANTE
Version	Duct out

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	

MODELLO models	
CIRCUS IX/A/60	68116393
CIRCUS IX/A/90	68116392
REEF IX/A/60	68117541
REEF IX/A/90	68117542


	CIRCUS	REEF
	PULS. MECCANICA 3V 3S mech. push button	TOUCH CONTROL DISPLAY 3V+I 3s + B touch control display
COMANDI		
Controls		
ILLUMINAZIONE	HALO 2X20W	HALO 2X20W
Lighting	Halo 2x20W	Halo 2x20W
PORTATA IEC (M ³ /H)	200-400	260-580 (750)
IEC airflow (m ³ /h)		
LIVELLO SONORO DB(A)	44-62	46-63 (69)
Noise Level db(A)		
PRESSIONE (PA)	190	450
Pressure (Pa)		
ASSORBIMENTO TOTALE (W)	160	215
Total absorption (W)		
USCITA (MM)	120-150	150
Duct Size (mm)		
FILTRO GRASSI ALLUMINIO		
Grease filter aluminium		



SWEET
Design FABRIZIO CRISÀ



MISURA	85 cm
Size	
FINITURA	BIANCO OPACO, TORTORA OPACO, AZZURRO, AVORIO, ARANCIONE, VERDE
Finish	Matt white, matt umber, azur, pearl, orange, green
VERSIONE	FILTRANTE
Version	Recycling



COMANDI	TOUCH CONTROL
Controls	Touch control
ILLUMINAZIONE	LED 1X12W
Lighting	Led 1x12W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	250-480 (650)
LIVELLO SONORO DB(A)	
Noise Level db(A)	46-64 (69)
PRESSIONE (PA)	
Pressure (Pa)	480
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	262
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	



≥ 60 cm




≥ 70 cm

ACCESSORI accessories	INCLUSO	CODICE code
FILTRO LUNGA DURATA	Included	CFC0047652
Long life filter		
KIT EST. CAMINO SWEET BIANCO (H 0-650)	A RICHIESTA	KIT0049580
Chimney ext. kit sweet white (h 0-650)	Optional	
KIT EST. CAMINO SWEET TORTORA (H 0-650)	A RICHIESTA	KIT0049581
Chimney ext. kit sweet umber (h 0-650)	Optional	
KIT EST. CAMINO SWEET AZZURRO (H 0-650)	A RICHIESTA	KIT0049582
Chimney ext. kit sweet azur (h 0-650)	Optional	
KIT EST. CAMINO SWEET AVORIO (H 0-650)	A RICHIESTA	KIT0049583
Chimney ext. kit sweet ivory (h 0-650)	Optional	
KIT EST. CAMINO SWEET ARANCIONE (H 0-650)	A RICHIESTA	KIT0049584
Chimney ext. kit sweet orange (h 0-650)	Optional	
KIT EST. CAMINO SWEET VERDE (H 0-650)	A RICHIESTA	KIT0049585
Chimney ext. kit sweet green (h 0-650)	Optional	
DETTAGLI CAMINI SPECIALI A PAG. 178		
See page 178 for Special Chimney Kit		

MODELLO models	
SWEET WHITE F/85	PRF0043030
SWEET UMBER F/85	PRF0043031
SWEET AZUR F/85	PRF0043032
SWEET IVORY F/85	PRF0043033
SWEET ORANGE F/85	PRF0043034
SWEET GREEN F/85	PRF0043035

TAMAYA/TROPIC

AQUA



MISURA	60 - 90 cm	
Size		
FINITURA	ACCIAIO INOX, NERO, BIANCO	
Finish	Stainless steel, black, white	
VERSIONE	ASPIRANTE	
Version	Duct out	


	TAMAYA	TROPIC
COMANDI	PULS. MECCANICA 3V	TOUCH CONTROL DISPLAY 3V+
Controls	3S mech. push button	3s + B touch control display
ILLUMINAZIONE	HALO 2X28W	HALO 2X20W
Lighting	Halo 2x28W	Halo 2x20W
PORTATA IEC (M³/H)		
IEC airflow (m³/h)	290-440	300-620 (800)
LIVELLO SONORO DB(A)		
Noise Level db(A)	48-65	46-62 (68)
PRESSIONE (PA)		
Pressure (Pa)	255	550
ASSORBIMENTO TOTALE (W)		
Total absorption (W)	236	290
USCITA (MM)		
Duct Size (mm)	150	150
FILTRO GRASSI ALLUMINIO		
Grease filter aluminium		

ACCESSORI accessories		CODICE code
FILTRO GRASSI PROFESSIONAL INOX	A RICHIESTA	KIT01036
Grease filter professional stainless steel	Optional	
FILTRO CARBONE	A RICHIESTA	CFC0013072
Charcoal filter	Optional	
KIT EST. CAMINO (+200MM)	A RICHIESTA	KIT00778A
Chimney ext. kit (+200mm)	Optional	
KIT EST. CAMINO (+420MM)	A RICHIESTA	KIT00779A
Chimney ext. kit (+420mm)	Optional	

MODELLO models	
TAMAYA PB IX/A/60	PRF0009706A
TAMAYA PB IX/A/90	PRF0009794A
TAMAYA PB BL/A/60	PRF0009834A
TAMAYA PB BL/A/90	PRF0009854A
TAMAYA PB WH/A/60	PRF0009861A
TAMAYA PB WH/A/90	PRF0009880A
TROPIC IX/A/60	PRF0009991
TROPIC IX/A/90	PRF0009989



TROPIC



MISURA	60 - 90 cm	
Size		
FINITURA	ACCIAIO INOX	
Finish	Stainless steel	
VERSIONE	FILTRANTE	
Version	Recycling	

COMANDI	SLIDER 3V
Controls	3S Slider
ILLUMINAZIONE	HALO 2X28W
Lighting	Halo 2x28W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	240-470
LIVELLO SONORO DB(A)	
Noise Level db(A)	54-64
PRESSIONE (PA)	
Pressure (Pa)	210
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	236
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO GRASSI PROFESSIONAL INOX	A RICHIESTA	KIT01036
Grease filter professional stainless steel	Optional	
FILTRO CARBONE	INCLUSO	CFC0013072
Charcoal filter	Included	
KIT EST. CAMINO (+200MM)	A RICHIESTA	KIT00778A
Chimney ext. kit (+200mm)	Optional	
KIT EST. CAMINO (+420MM)	A RICHIESTA	KIT00779A
Chimney ext. kit (+420mm)	Optional	

MODELLO models	
AQUA IX F/60	4249920B
AQUA IX F/90	4249921B

TONDA




MISSY



≥ 50 cm



≥ 65 cm



MISURA	60 - 90 cm
Size	
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	FILTRANTE
Version	Recycling

COMANDI	SLIDER 3V
Controls	3S Slider
ILLUMINAZIONE	HALO 2X28W
Lighting	Halo 2x28W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	200-400
LIVELLO SONORO DB(A)	
Noise Level db(A)	47-59
PRESSIONE (PA)	
Pressure (Pa)	280
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	226
USCITA (MM)	
Duct Size (mm)	120
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	


ACCESSORI accessories		CODICE code
FILTRO CARBONE	INCLUSO	CFC0013072
Charcoal filter	Included	
MODELLO models		
TONDA IX F/60		2938000A
TONDA IX F/90		2937999A



≥ 50 cm



≥ 65 cm



MISURA	60 - 90 cm
Size	
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	ASPIRANTE
Version	Duct out

COMANDI	SLIDER 3V
Controls	3S Slider
ILLUMINAZIONE	HALO 2X28W
Lighting	Halo 2x28W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	200-400
LIVELLO SONORO DB(A)	
Noise Level db(A)	47-59
PRESSIONE (PA)	
Pressure (Pa)	280
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	176
USCITA (MM)	
Duct Size (mm)	120-150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00479/1S
Charcoal filter	Optional	
MODELLO models		
MISSY IX/A/60		PRF0004024A
MISSY IX/A/90		PRF0004022A



TOTEM




VEGA



≥ 50 cm



≥ 65 cm



MISURA	60 - 90 cm
Size	
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	FILTRANTE
Version	Recycling

COMANDI	SLIDER 3V
Controls	3S Slider
ILLUMINAZIONE	HALO 1X28W
Lighting	Halo 1x28W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	100-200
LIVELLO SONORO DB(A)	
Noise Level db(A)	51-63
PRESSIONE (PA)	
Pressure (Pa)	230
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	128
USCITA (MM)	
Duct Size (mm)	100
FILTRO GRASSI SINTETICO	
Synthetic grease filter	


ACCESSORI accessories		CODICE code
FILTRO CARBONE	INCLUSO	F00173/S
Charcoal filter	Included	
MODELLO models		
TOTEM ST IX F/60		1285259B
TOTEM ST IX F/90		1285071B



≥ 50 cm



≥ 65 cm



MISURA	60 - 90 cm
Size	
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	FILTRANTE
Version	Recycling

COMANDI	SLIDER 3V
Controls	3S Slider
ILLUMINAZIONE	HALO 2X28W
Lighting	Halo 2x28W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	140-220
LIVELLO SONORO DB(A)	
Noise Level db(A)	49-60
PRESSIONE (PA)	
Pressure (Pa)	180
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	156
USCITA (MM)	
Duct Size (mm)	125 (sup-pos)
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	INCLUSO	F00572/S
Charcoal filter	Included	
KIT EST. CAMINO (+200MM)	A RICHIESTA	KIT00778A
Chimney ext. kit (+200mm)	Optional	
KIT EST. CAMINO (+420MM)	A RICHIESTA	KIT00779A
Chimney ext. kit (+420mm)	Optional	

MODELLO models		
VEGA ST IX F/60		56111002/3
VEGA ST IX F/90		56111004/3



NERO OPACO
Matt black

BIANCO OPACO
Matt white



INOX LUCIDO
Shiny stainless steel



BIANCO PERLA
Pearl



SUSPENDED

MISURA	
Size	80 cm
FINITURA	BIANCO PERLA, BIANCO OPACO, NERO OPACO, INOX LUCIDO
Finish	Pearl, matt white, matt black, shiny stainless steel
VERSIONE	FILTRANTE
Version	Recycling




AMBIENT
LIGHT



HIGH
PERFORMANCE



LONG LIFE
FILTER



COMANDI	RADIOCOMANDO 3V+I
Controls	3S+B remote control
ILLUMINAZIONE	NEON PL 4X24W
Lighting	Neon PL 4x24W
PORTATA IEC (M³/H)	220-500 (650)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	42-61 (66)
Noise Level db(A)	
PRESSIONE (PA)	450
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	346
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	





≥ 60 cm



≥ 70 cm

ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	INCLUSO	CFC0038699
Long life filter	Included	
MODELLO models		
SEASHELL WH/F/80		PRF0024262A
SEASHELL WH MAT OPACO/F/80		PRF0098392
SEASHELL BL MAT OPACO/F/80		PRF0098393
SEASHELL IX/F/80		PRF0098394


DISPONIBILE DA SETTEMBRE 2014
Available from September 2014



POSSIBILITÀ DI PERSONALIZZARE IL PRODOTTO SCEGLIENDO I KIT COVER ACCESSORI DISPONIBILI IN 3 DIVERSE FINITURE E ACQUISTABILI ANCHE SUCCESSIVAMENTE. INSTALLABILE SIA A SOFFITTO CHE A MURO: CAVI E STAFFA SONO INCLUSI NELLA CONFEZIONE.

The product can be customized by selecting accessory cover kits available in 3 different finishes, which can also be purchased later. Mounting options: both ceiling and wall. Cables and bracket are included in the package.

MISURA	Ø 50 cm
Size	
FINITURA	METALLO COLORATO, ACCIAIO INOX LUCIDO
Finish	Coloured metal, shiny stainless steel
VERSIONE	FILTRANTE
Version	Recycling




COMANDI	RADIOCOMANDO 3V+I
Controls	3S+B remote control
ILLUMINAZIONE	LED 9W
Lighting	Led 9W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	200-325 (400)
LIVELLO SONORO DB(A)	
Noise Level db(A)	40-52 (54)
PRESSIONE (PA)	
Pressure (Pa)	131
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	49
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	INCLUSO	CFC0098631
Long life filter	Included	
COVER EDITH CORAL	A RICHIESTA	KIT0100145
Cover Edith Coral	Optional	
COVER EDITH TEA	A RICHIESTA	KIT0100143
Cover Edith Tea	Optional	
COVER EDITH AQUAMARINE	A RICHIESTA	KIT0100150
Cover Edith Aquamarine	Optional	


MODELLO models	
EDITH CLASSIC/F/50	PRF0098360
EDITH ROCK/F/50	PRF0098361
EDITH JAZZ/F/50	PRF0098362
EDITH HEAVYMETAL/F/50	PRF0098364

DISPONIBILE DA SETTEMBRE 2014
Available from September 2014





STAR
Elica Design Center



SUSPENDED

106 | STAR

p. 26  | ISOLA island mounted | 107




MISURA	
Size	Ø 47 cm
FINITURA	ACCIAIO INOX + VETRO
Finish	Stainless steel + glass
VERSIONE	FILTRANTE
Version	Recycling



AMBIENT
LIGHT



LONG LIFE
FILTER



COMANDI	MAGIC WAND
Controls	Magic wand
ILLUMINAZIONE	HALO 1X40W + HALO 3X28W
Lighting	Halo 1x40W + halo 3x28W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	170-350 (480)
LIVELLO SONORO DB(A)	
Noise Level db(A)	38-58 (65)
PRESSIONE (PA)	
Pressure (Pa)	400
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	254
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	






≥ 50 cm



≥ 65 cm

ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	INCLUSO	F00433/1
Long life filter	Included	
RADIOCOMANDO NERO	A RICHIESTA	KIT02183/1
Black remote control	Optional	
RADIOCOMANDO BIANCO	A RICHIESTA	KIT0010436
White remote control	Optional	
KIT PROLUNGA CAVI (2,5M IX)	A RICHIESTA	KIT01889
Extension cable kit (2,5m IX)	Optional	
KIT PROLUNGA CAVI (5M IX)	A RICHIESTA	KIT01921
Extension cable kit (5m IX)	Optional	
MODELLO models		
STAR IX/F 47		65414592/3



p. 175

INSTALLABILE SIA A SOFFITTO CHE A MURO. CAVI E STAFFA SONO INCLUSI NELLA CONFEZIONE.

Installabile sia a soffitto che a muro: cavi e staffa sono inclusi nella confezione.




MISURA	Ø 51 cm
Size	
FINITURA	VETRO BIANCO+ACCIAIO INOX, VETRO NERO+ACCIAIO INOX
Finish	White glass + stainless steel, black glass + stainless steel
VERSIONE	FILTRANTE
Version	Recycling

COMANDI	MAGIC WAND
Controls	Magic wand
ILLUMINAZIONE	HALO 1X40W + HALO 3X28W
Lighting	Halo 1x40W + halo 3x28W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	170-350 (480)
LIVELLO SONORO DB(A)	
Noise Level db(A)	38-58 (65)
PRESSIONE (PA)	
Pressure (Pa)	400
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	254
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	INCLUSO	F00433/1
Long life filter	Included	
RADIOCOMANDO NERO	A RICHIESTA	KIT02183/1
Black remote control	Optional	
RADIOCOMANDO BIANCO	A RICHIESTA	KIT0010436
White remote control	Optional	
KIT PROLUNGA CAVI (2,5M IX)	A RICHIESTA	KIT01889
Extension cable kit (2,5m IX)	Optional	
KIT PROLUNGA CAVI (5M IX)	A RICHIESTA	KIT01921
Extension cable kit (5m IX)	Optional	
KIT ASPIRANTE	A RICHIESTA	KIT01611
Extractor kit	Optional	

MODELLO models	
GRACE WH/ F 51	65414586/2
GRACE BL/F 51	PRF0010393A



p. 175

INSTALLABILE SIA A SOFFITTO CHE A MURO. CAVI E STAFFA SONO INCLUSI NELLA CONFEZIONE.

Installabile sia a soffitto che a muro: cavi e staffa sono inclusi nella confezione.



MISURA	Ø 51 cm
Size	
FINITURA	ACCIAIO INOX, NERO
Finish	Stainless steel, black
VERSIONE	FILTRANTE
Version	Recycling

COMANDI	MAGIC WAND
Controls	Magic wand
ILLUMINAZIONE	HALO 1X40W + HALO 3X28W
Lighting	Halo 1x40W + halo 3x28W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	170-350 (480)
LIVELLO SONORO DB(A)	
Noise Level db(A)	38-58 (65)
PRESSIONE (PA)	
Pressure (Pa)	400
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	254
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	INCLUSO	F00433/1
Long life filter	Included	
RADIOCOMANDO NERO	A RICHIESTA	KIT02183/1
Black remote control	Optional	
RADIOCOMANDO BIANCO	A RICHIESTA	KIT0010436
White remote control	Optional	
KIT PROLUNGA CAVI (2,5M IX)	A RICHIESTA	KIT01889
Extension cable kit (2,5m IX)	Optional	
KIT PROLUNGA CAVI (5M IX)	A RICHIESTA	KIT01921
Extension cable kit (5m IX)	Optional	
KIT ASPIRANTE	A RICHIESTA	KIT01611
Extractor kit	Optional	

MODELLO models	
WAVE IX/F/51	65414588/2
WAVE BK/F/51	PRF0090419



SUSPENDED



SUSPENDED



≥ 50 cm




≥ 65 cm



AMBIENT LIGHT



LONG LIFE FILTER



p. 175

INSTALLABILE SIA A SOFFITTO CHE A MURO. CAVI E STAFFA SONO INCLUSI NELLA CONFEZIONE.

Installabile sia a soffitto che a muro: cavi e staffa sono inclusi nella confezione.



MISURA	Ø 51 cm
Size	
FINITURA	ACCIAIO INOX LUCIDO
Finish	Polished stainless steel
VERSIONE	FILTRANTE
Version	Recycling

COMANDI	MAGIC WAND
Controls	Magic wand
ILLUMINAZIONE	HALO 1X40W + HALO 3X28W
Lighting	Halo 1x40W + halo 3x28W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	170-350 (480)
LIVELLO SONORO DB(A)	
Noise Level db(A)	38-58 (65)
PRESSIONE (PA)	
Pressure (Pa)	400
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	254
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	INCLUSO	F00433/1
Long life filter	Included	
RADIOCOMANDO NERO	A RICHIESTA	KIT02183/1
Black remote control	Optional	
RADIOCOMANDO BIANCO	A RICHIESTA	KIT0010436
White remote control	Optional	
KIT PROLUNGA CAVI (2,5M IX)	A RICHIESTA	KIT01889
Extension cable kit (2,5m IX)	Optional	
KIT PROLUNGA CAVI (5M IX)	A RICHIESTA	KIT01921
Extension cable kit (5m IX)	Optional	
KIT ASPIRANTE	A RICHIESTA	KIT01611
Extractor kit	Optional	

MODELLO models	
PLATINUM IX/F 51	65414587/2



≥ 50 cm




≥ 65 cm



AMBIENT LIGHT



LONG LIFE FILTER



MISURA	90x50 cm
Size	
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	FILTRANTE
Version	Recycling

COMANDI	MAGIC WAND
Controls	Magic wand
ILLUMINAZIONE	HALO 1X40W + HALO 6X28W
Lighting	Halo 1x40W + halo 6x28W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	270-560 (770)
LIVELLO SONORO DB(A)	
Noise Level db(A)	41-61 (69)
PRESSIONE (PA)	
Pressure (Pa)	400
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	378
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	INCLUSO (2 PCS)	F00433/1 (1 pc)
Long life filter	Included (2 pcs)	
RADIOCOMANDO NERO	A RICHIESTA	KIT02183/1
Black remote control	Optional	
RADIOCOMANDO BIANCO	A RICHIESTA	KIT0010436
White remote control	Optional	
KIT PROLUNGA CAVI (2,5M IX)	A RICHIESTA (X2PCS)	KIT01889 (1 pc)
Extension cable kit (2,5m IX)	Optional (2 pack)	
KIT PROLUNGA CAVI (5M IX)	A RICHIESTA (X2PCS)	KIT01921 (1 pc)
Extension cable kit (5m IX)	Optional (2 pack)	

MODELLO models	
TWIN IX/F 90	65414590/2



≥ 50 cm




≥ 65 cm



AMBIENT
LIGHT



LONG LIFE
FILTER



MISURA	90x60 cm
Size	
FINITURA	ACCIAIO INOX + VETRO
Finish	Stainless steel + glass
VERSIONE	FILTRANTE
Version	Recycling

COMANDI	MAGIC WAND
Controls	Magic wand
ILLUMINAZIONE	HALO 1X40W
Lighting	Halo 1x40W
PORTATA IEC (M³/H)	170-350 (480)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	38-58 (65)
Noise Level db(A)	
PRESSIONE (PA)	400
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	170
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	INCLUSO	F00433/1
Long life filter	Included	
RADIOCOMANDO NERO	A RICHIESTA	KIT02183/1
Black remote control	Optional	
RADIOCOMANDO BIANCO	A RICHIESTA	KIT0010436
White remote control	Optional	
KIT PROLUNGA CAVI (2,5M IX)	A RICHIESTA	KIT01890
Extension cable kit (2,5m IX)	Optional	
KIT PROLUNGA CAVI (5M IX)	A RICHIESTA	KIT01922
Extension cable kit (5m IX)	Optional	

MODELLO models		
ISOLABELLA IX/F 90		65414591/1




≥ 50 cm



≥ 65 cm



LONG LIFE
FILTER



MISURA	Ø 25 cm
Size	
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	FILTRANTE
Version	Recycling

COMANDI	MAGIC WAND
Controls	Magic wand
ILLUMINAZIONE	HALO 1X40W
Lighting	Halo 1x40W
PORTATA IEC (M³/H)	170-350 (480)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	38-58 (65)
Noise Level db(A)	
PRESSIONE (PA)	400
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	170
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	INCLUSO	F00433/1
Long life filter	Included	
RADIOCOMANDO NERO	A RICHIESTA	KIT02183/1
Black remote control	Optional	
RADIOCOMANDO BIANCO	A RICHIESTA	KIT0010436
White remote control	Optional	
KIT PROLUNGA CAVI (2,5M IX)	A RICHIESTA	KIT01889
Extension cable kit (2,5m IX)	Optional	
KIT PROLUNGA CAVI (5M IX)	A RICHIESTA	KIT01921
Extension cable kit (5m IX)	Optional	

MODELLO models		
NAKED IX/F/25		64714985






SUSPENDED




SUSPENDED



p. 175

MISURA	50 cm
Size	
FINITURA	AVORIO
Finish	Ivory
VERSIONE	FILTRANTE
Version	Recycling
COMANDI	PULSANTIERA SOFT LIGHT 3V
Controls	3s Soft Light Push Button
ILLUMINAZIONE	HALO 2X20W + HALO 4X28W
Lighting	Halo 2x20W + Halo 4x28W
PORTATA IEC (M³/H)	250-600
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	43-65
Noise Level db(A)	
PRESSIONE (PA)	450
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	375
Total absorption (W)	
USCITA (MM)	120
Duct Size (mm)	

ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	INCLUSO	F00439
Long life filter	Included	
KIT PROLUNGA CAVI (2,5M IX)	A RICHIESTA	KIT01889
Extension cable kit (2,5m IX)	Optional	
KIT PROLUNGA CAVI (5M IX)	A RICHIESTA	KIT01921
Extension cable kit (5m IX)	Optional	
KIT INSTALLAZIONE A PARETE	A RICHIESTA	KIT02263
Wall mounted Kit	Optional	
KIT ASPIRANTE	A RICHIESTA	KIT02262
Extractor kit	Optional	
MODELLO models		
JASMINE PEARL F/50		71716351A



MISURA	90 cm
Size	
FINITURA	AVORIO
Finish	Ivory
VERSIONE	FILTRANTE
Version	Recycling
COMANDI	PULSANTIERA SOFT LIGHT 3V
Controls	3s Soft Light Push Button
ILLUMINAZIONE	HALO 2X20W + HALO 6X28W
Lighting	Halo 2x20W + Halo 6x28W
PORTATA IEC (M³/H)	250-600
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	43-65
Noise Level db(A)	
PRESSIONE (PA)	450
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	455
Total absorption (W)	
USCITA (MM)	120
Duct Size (mm)	

ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	INCLUSO	F00264/1S
Long life filter	Included	
KIT PROLUNGA CAVI (2,5M IX)	A RICHIESTA	KIT01889
Extension cable kit (2,5m IX)	Optional	
KIT PROLUNGA CAVI (5M IX)	A RICHIESTA	KIT01921
Extension cable kit (5m IX)	Optional	
KIT ASPIRANTE	A RICHIESTA	KIT02262
Extractor kit	Optional	
MODELLO models		
JULIETTE PEARL F/90		71716357A



SUSPENDED



SUSPENDED




≥ 50 cm



≥ 65 cm



LONG LIFE
FILTER




p. 175

 ≥ 50 cm ≥ 65 cm

HIGH
PERFORMANCE



AMBIENT
LIGHT



MISURA Size	50 cm
FINITURA Finish	NERO, BIANCO, INOX Black, white, stainless steel
VERSIONE Version	FILTRANTE Recycling

COMANDI Controls	SOFT LIGHT 3V 3s Soft Light
ILLUMINAZIONE Lighting	HALO 2X20W Halo 2x20W
PORTATA IEC (M ³ /H) IEC airflow (m ³ /h)	250-600
LIVELLO SONORO DB(A) Noise Level db(A)	43-65
PRESSIONE (PA) Pressure (Pa)	350
ASSORBIMENTO TOTALE (W) Total absorption (W)	210
USCITA (MM) Duct Size (mm)	120
FILTRO GRASSI ALLUMINIO Grease filter aluminium	

ACCESSORI accessories

FILTRO LUNGA DURATA Long life filter	INCLUSO Included	F00439
KIT ASPIRANTE Extractor kit	A RICHIESTA Optional	KIT02262
KIT PROLUNGA CAVI (2,5M IX) Extension cable kit (2,5m IX)	A RICHIESTA Optional	KIT01889
KIT INSTALLAZIONE A PARETE Wall mounted Kit	A RICHIESTA Optional	KIT02263

CODICE code

F00439
KIT02262
KIT01889
KIT02263

MODELLO models

JUNO BK/F 51	PRF0071970
JUNO WH/F 51	PRF0071972
JUNO IX/F 51	PRF0089651

MISURA Size	55x49 cm
FINITURA Finish	VETRO BIANCO + ACCIAIO INOX White glass + stainless steel
VERSIONE Version	FILTRANTE Recycling


COMANDI Controls	MAGIC WAND Magic wand
ILLUMINAZIONE Lighting	HALO 6X28W + HALO 4X20W Halo 6x28W + halo 4x20W
PORTATA IEC (M ³ /H) IEC airflow (m ³ /h)	250-500 (610)
LIVELLO SONORO DB(A) Noise Level db(A)	43-60 (65)
PRESSIONE (PA) Pressure (Pa)	450
ASSORBIMENTO TOTALE (W) Total absorption (W)	498
USCITA (MM) Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO Grease filter aluminium	

ACCESSORI accessories

FILTRO CARBONE Charcoal filter	INCLUSO Included	CFC0013072
RADIOCOMANDO NERO Black remote control	A RICHIESTA Optional	KIT02183/1
RADIOCOMANDO BIANCO White remote control	A RICHIESTA Optional	KIT0010436
KIT CAMINO Chimney kit	A RICHIESTA Optional	KIT0010438
KIT PROLUNGA CAVI (2,5M IX) Extension cable kit (2,5m IX)	A RICHIESTA Optional	KIT01889
KIT PROLUNGA CAVI (5M IX) Extension cable kit (5m IX)	A RICHIESTA Optional	KIT01921

MODELLO models

ALBA CUBO ISOLA IX/F/55 PRF0007242



35CC ISLAND


Design FABRIZIO CRISA



ACQUISTANDO UN KIT STYLE HAI LA POSSIBILITÀ DI TRASFORMARE LA TUA CAPPA DA EVOQUE A DYNAMIQUE E VICEVERSA (IL KIT STYLE È UN ACCESSORIO SOSTITUTIVO CHE PUÒ ESSERE ACQUISTATO SUCCESSIVAMENTE).

The Kit Style enables you to turn your Evoque hood into a Dynamique hood and vice versa (The Kit Style is an optional extra which can be bought after installation)


MISURA	35x35 cm
Size	
FINITURA	BIANCO, ARANCIO, TORTORA, ROSSO, NERO, LILLA
Finish	White, orange, umber, red, black, lilac
VERSIONE	FILTRANTE
Version	Recycling



COMANDI	ROTATIVO ELETTRONICO 3V+I
Controls	3S+B electronic rotative
ILLUMINAZIONE	LED 4X3W
Lighting	Led 4x3W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	270-600 (750)
LIVELLO SONORO DB(A)	
Noise Level db(A)	43-61 (69)
PRESSIONE (PA)	
Pressure (Pa)	440
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	262
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	INCLUSO	CFC0038668
Charcoal filter	Included	
KIT INST. 35CC ISOLA ASPIRANTE	A RICHIESTA	KIT0038776
Inst. kit 35cc island ducting out	Optional	
KIT STYLE 35CC DYNAMIQUE IX	A RICHIESTA	KIT0038784
Kit style 35cc dynamique IX	Optional	
KIT STYLE 35CC EVOQUE IX	A RICHIESTA	KIT0038785
Kit style 35cc evoque IX	Optional	

MODELLO models	
35CC ISLAND EVOQUE WHITE/F/35	PRF0043352
35CC ISLAND EVOQUE ORANGE/F/35	PRF0043354
35CC ISLAND EVOQUE UMBER/F/35	PRF0043355
35CC ISLAND DYNAMIQUE RED/F/35	PRF0043359
35CC ISLAND DYNAMIQUE BLACK/F/35	PRF0043360
35CC ISLAND DYNAMIQUE LILAC/F/35	PRF0098934





White
Evoque



Umber
Evoque



Black
Dynamique



Red
Dynamique



70CC ISLAND


Design FABRIZIO CRISA



ACQUISTANDO UN KIT STYLE HAI LA POSSIBILITÀ DI TRASFORMARE LA TUA CAPPA DA EVOQUE A DYNAMIQUE E VICEVERSA (IL KIT STYLE È UN ACCESSORIO SOSTITUTIVO CHE PUÒ ESSERE ACQUISTATO SUCCESSIVAMENTE).

The Kit Style enables you to turn your Evoque hood into a Dynamique hood and vice versa (The Kit Style is an optional extra which can be bought after installation)

MISURA	70x35 cm
Size	
FINITURA	BIANCO, TORTORA, NERO, ROSSO
Finish	White, umber, black, red
VERSIONE	FILTRANTE
Version	Recycling



p. 172

COMANDI	ROTATIVO ELETTRONICO 3V+I
Controls	3S+B electronic rotative
ILLUMINAZIONE	LED 4X3W
Lighting	Led 4x3W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	270-600 (750)
LIVELLO SONORO DB(A)	
Noise Level db(A)	43-61 (69)
PRESSIONE (PA)	
Pressure (Pa)	440
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	262
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	INCLUSO	CFC0038668
Charcoal filter	Included	
KIT INST. 70CC ISOLA ASPIRANTE	A RICHIESTA	KIT0038782
Inst. kit 70cc island ducting out	Optional	
KIT INST. 70CC BACK ASPIRATION	A RICHIESTA	KIT0038778
Inst. kit 70cc back aspiration	Optional	
KIT STYLE 70CC DYNAMIQUE IX	A RICHIESTA	KIT0038788
Kit style 70cc dynamique IX	Optional	
KIT STYLE 70CC EVOQUE IX	A RICHIESTA	KIT0038789
Kit style 70cc evoque IX	Optional	
MODELLO models		
70CC ISLAND EVOQUE WHITE/F/70		PRF0043353
70CC ISLAND EVOQUE UMBER/F/70		PRF0043357
70CC ISLAND DYNAMIQUE BLACK/F/70		PRF0043363
70CC ISLAND DYNAMIQUE RED/F/70		PRF0043365



≥ 50 cm




≥ 65 cm



CRISTALPLANT®, MATERIALE IPOALLERGENICO E NON TOSSICO, RESISTENTE E PIACEVOLE AL TATTO.
Cristalplant®, a hypoallergenic non-toxic material, resistant and agreeable to the touch.

MISURA	66 cm
Size	
FINITURA	CRYSTALPLANT BIANCO
Finish	Crystalplant white
VERSIONE	ASPIRANTE
Version	Duct out



p. 177

COMANDI	RADIOCOMANDO 3V+I
Controls	3S+B remote control
ILLUMINAZIONE	LED 8W
Lighting	Led 8W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	200-425 (625)
LIVELLO SONORO DB(A)	
Noise Level db(A)	43-61 (68)
PRESSIONE (PA)	
Pressure (Pa)	517
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	268
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	



ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	CFC0098633
Charcoal filter	Optional	
MODELLO models		
YE WH/A/66		PRF0098375

CHROME

Elica Design Center



MENHIR

Elica Design Center



≥ 50 cm




≥ 65 cm



HIGH PERFORMANCE



ELICA DEEP SILENCE



IL SISTEMA ELICA DEEP SILENCE (EDS3) PERMETTE UNA FUNZIONALITÀ ESTREMAMENTE SILENZIOSA, ADDIRITTURA IMPERCETTIBILE ALLE BASSE VELOCITÀ, CON UNA RIDUZIONE DELL' INQUINAMENTO ACUSTICO AMBIENTALE DI OLTRE IL 35% RISPETTO ALLE CAPPE TRADIZIONALI.

The Elica Deep Silence (EDS3) system allows the hood to function with the lowest level of noise possible - in fact, at low speeds, there is no perceptible noise at all. This reduction in domestic noise pollution of more than 35% with respect to traditional cooker.



MISURA Size	46x46 cm; 58x43 cm; 85x43 cm
FINITURA Finish	ACCIAIO INOX LUCIDO Polished stainless steel
VERSIONE Version	ASPIRANTE Duct out

COMANDI Controls	MAGIC WAND Magic wand
ILLUMINAZIONE Lighting	HALO 2X20W-4X20W (850MM) Halo 2x20W-4x20W (850 mm)
PORTATA IEC (M³/H) IEC airflow (m³/h)	270-550 (750)
LIVELLO SONORO DB(A) Noise Level db(A)	36-51 (57)
PRESSIONE (PA) Pressure (Pa)	520
ASSORBIMENTO TOTALE (W) Total absorption (W)	290-330 (850mm)
USCITA (MM) Duct Size (mm)	120-150
FILTRO GRASSI EDS3 Grease filter EDS3	

ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA Long life filter	A RICHIESTA Optional	CFC0097952
RADIOCOMANDO NERO Black remote control	A RICHIESTA Optional	KIT02183/1
RADIOCOMANDO BIANCO White remote control	A RICHIESTA Optional	KIT0010436

MODELLO models	
CHROME EDS IX/A/46	69315812B
CHROME EDS IX/A/58	69315976B
CHROME EDS IX/A/85	69315977B




≥ 50 cm



≥ 65 cm



LONG LIFE FILTER



MISURA Size	44x31 cm
FINITURA Finish	ACCIAIO INOX Stainless steel
VERSIONE Version	ASPIRANTE Duct out

COMANDI Controls	PULSANTIERA SOFT LIGHT 3V 3s Soft Light Push Button
ILLUMINAZIONE Lighting	HALO 4X20W Halo 4x20W
PORTATA IEC (M³/H) IEC airflow (m³/h)	230-560
LIVELLO SONORO DB(A) Noise Level db(A)	46-66
PRESSIONE (PA) Pressure (Pa)	440
ASSORBIMENTO TOTALE (W) Total absorption (W)	255
USCITA (MM) Duct Size (mm)	120
FILTRO GRASSI PROFESSIONAL INOX Grease filter professional stainless steel	

ACCESSORI accessories		CODICE code
FILTRO CARBONE Charcoal filter	A RICHIESTA Optional	F00333/S
FILTRO LUNGA DURATA Long life filter	A RICHIESTA Optional	F00262/3S


MODELLO models	
MENHIR Soft IX/A	56010692A
MENHIR H Soft IX/A	56012734A



TUBE
ISLAND




KUADRA
ISLAND



MISURA	Ø 43 cm
Size	
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	ASPIRANTE
Version	Duct out

COMANDI	TOUCH CONTROL CON DISPLAY 3V+I
Controls	3s + B touch control with display
ILLUMINAZIONE	HALO 2X20W
Lighting	Halo 2x20W
PORTATA IEC (M³/H)	250-470 (550)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	45-55 (65)
Noise Level db(A)	
PRESSIONE (PA)	470
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	290
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	A RICHIESTA	F00431/S
Long life filter	Optional	
MODELLO models		
TUBE ISLAND IX/A/43		PRF0009572



MISURA	43x43 cm; 43x60 cm
Size	
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	ASPIRANTE
Version	Duct out

COMANDI	TOUCH CONTROL CON DISPLAY 3V+I
Controls	3s + B touch control with display
ILLUMINAZIONE	HALO 2X20W
Lighting	Halo 2x20W
PORTATA IEC (M³/H)	250-470 (550)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	45-55 (65)
Noise Level db(A)	
PRESSIONE (PA)	470
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	290
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	



ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	A RICHIESTA	F00431/S
Long life filter	Optional	
MODELLO models		
KUADRA ISLAND IX/A/43		PRF0007655
KUADRA ISLAND IX/A/60		PRF0007028




MOON ISLAND

Elica Design Center

MISURA	
Size	60x90 cm; 60x120 cm; 60x180 cm
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	ASPIRANTE
Version	Duct out



COMANDI	TOUCH CONTROL 3V+I
Controls	DOUBLE (SOLO PER 180 CM) Touch Control 3V+I Double (only for 180 cm)
ILLUMINAZIONE	NEON 21W X1(90CM) X2(120CM) X4(180CM)
Lighting	NEON 21W X1(90CM) X2(120CM) X4(180CM)
PORTATA IEC (M ³ /H)	290-570 (720)
IEC airflow (m ³ /h)	
LIVELLO SONORO DB(A)	46-64 (69)
Noise Level db(A)	
PRESSIONE (PA)	480
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	290 (max)
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease aluminium filter	



ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	

MODELLO models	
MOON IS IX/A/60X90	PRF0093507
MOON IS IX/A/60X120	PRF0093541
MOON ISOLA IX/A/180	PRF0079552

MERIDIANA

Elica Design Center



GALAXY ISLAND

Elica Design Center



≥ 50 cm



≥ 65 cm




HIGH PERFORMANCE



ELICA DEEP SILENCE



LONG LIFE FILTER



IL SISTEMA ELICA DEEP SILENCE (EDS3) PERMETTE UNA FUNZIONALITÀ ESTREMAMENTE SILENZIOSA, ADDIRITTURA IMPERCETTIBILE ALLE BASSE VELOCITÀ, CON UNA RIDUZIONE DELL' INQUINAMENTO ACUSTICO AMBIENTALE DI OLTRE IL 35% RISPETTO ALLE CAPPE TRADIZIONALI.

The Elica Deep Silence (EDS3) system allows the hood to function with the lowest level of noise possible – in fact, at low speeds, there is no perceptible noise at all. This reduction in domestic noise pollution of more than 35% with respect to traditional cooker.

ACCESSORI accessories

FILTRO LUNGA DURATA	A RICHIESTA
Long life filter	Optional

CODICE code

CFC0097952

MODELLO models

MERIDIANA EDS IX VT/A/120X70

69916134A



≥ 50 cm




≥ 65 cm



HIGH PERFORMANCE



LONG LIFE FILTER



MISURA
Size

90x45 cm

FINITURA

ACCIAIO INOX+VETRO NERO, ACCIAIO INOX+VETRO BIANCO

Finish

Stainless steel + black glass, stainless steel + white glass

VERSIONE

ASPIRANTE

Version

Duct out

COMANDI

TOUCH CONTROL 3V+I

Controls

3s + B Touch control

ILLUMINAZIONE

HALO 4X20W

Lighting

Halo 4x20W

PORTATA IEC (M³/H)

290-570 (720)

IEC airflow (m³/h)

LIVELLO SONORO DB(A)

46-64 (69)

Noise Level db(A)

PRESSIONE (PA)

480

Pressure (Pa)

ASSORBIMENTO TOTALE (W)

330

Total absorption (W)

USCITA (MM)

150

Duct Size (mm)

FILTRO GRASSI ALLUMINIO

Grease filter aluminium

ACCESSORI accessories

FILTRO CARBONE	A RICHIESTA
Charcoal filter	Optional

FILTRO LUNGA DURATA	A RICHIESTA
Long life filter	Optional

CODICE code

F00333/S

F00262/3S

MODELLO models

GALAXY ISLAND BLIX/A/90X45

PRF0017852

GALAXY ISLAND WHIX/A/90X45

PRF0019192


JOY ISLAND

Elica Design Center



TRENDY ISLAND

Elica Design Center




MISURA	90x60 cm
Size	
FINITURA	ACCIAIO INOX+VETRO NERO, ACCIAIO INOX+VETRO BIANCO
Finish	Stainless steel + black glass, stainless steel + white glass
VERSIONE	ASPIRANTE
Version	Duct out

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	

MODELLO models		
JOY ISLAND BLIX/A/90		PRF0038487
JOY ISLAND WHIX/A/90		PRF0041670

COMANDI	TOUCH CONTROL 3V+I
Controls	3s + B Touch control
ILLUMINAZIONE	HALO 4X20W
Lighting	Halo 4x20W
PORTATA IEC (M³/H)	200-300 (400)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	45-53 (62)
Noise Level db(A)	
PRESSIONE (PA)	275
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	250
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	



MISURA	90x60 cm
Size	
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	ASPIRANTE
Version	Duct out

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	

MODELLO models		
TRENDY IS IX/A/90x60		PRF0100078


COMANDI	TOUCH CONTROL CON DISPLAY 3V+I
Controls	3s + B touch control with display
ILLUMINAZIONE	HALO 4X20W
Lighting	Halo 4x20W
PORTATA IEC (M³/H)	290-570 (720)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	46-64 (69)
Noise Level db(A)	
PRESSIONE (PA)	480
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	290
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI INOX	
Grease filter stainless steel	

SPOT PLUS
ISLAND

Elica Design Center



FREE SPOT




MISURA	90x60 cm
Size	
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	ASPIRANTE
Version	Duct out

COMANDI	LCD 3V+I
Controls	3S+B LCD
ILLUMINAZIONE	LED 4X2,5W
Lighting	Led 4x2,5W
PORTATA IEC (M³/H)	224-304 (619)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	44-61 (69)
Noise Level db(A)	
PRESSIONE (PA)	529
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	270
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	

MODELLO models	
SPOT PLUS ISLAND IX/A/90	PRF0097375

DISPONIBILE DA SETTEMBRE 2014
Available from September 2014



MISURA	100x60 cm; 120x60 (h 6 - 10) cm
Size	
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	ASPIRANTE
Version	Duct out

COMANDI	PULSANTIERA MECCANICA 3V
Controls	3S mechanical push button
ILLUMINAZIONE	HALO 4X20W
Lighting	Halo 4x20W
PORTATA IEC (M³/H)	260-630
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	48-66
Noise Level db(A)	
PRESSIONE (PA)	470
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	255
Total absorption (W)	
USCITA (MM)	120-150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO GRASSI PROFESSIONAL INOX	A RICHIESTA	KIT01036
Grease filter professional stainless steel	Optional	
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	

MODELLO models	
FREE SPOT H6 LX IX A/100	57311092
FREE SPOT H6 LX IX A/120	57311095
FREE SPOT H10 LX IX A/100	57311082
FREE SPOT H10 LX IX A/120	57311174

FLAT GLASS PLUS ISLAND

Elica Design Center



TRIBE ISLAND




MISURA	90x60 cm
Size	
FINITURA	ACCIAIO INOX + VETRO
Finish	Stainless steel + glass
VERSIONE	ASPIRANTE
Version	Duct out

COMANDI	LCD 3V+I
Controls	3S+B LCD
ILLUMINAZIONE	LED 2X2,5W
Lighting	Led 2x2,5W
PORTATA IEC (M³/H)	224-304 (619)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	44-61 (69)
Noise Level db(A)	
PRESSIONE (PA)	529
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	265
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	

MODELLO models	
FLAT GLASS PLUS ISLAND IX/A/90	PRF0097369

DISPONIBILE DA SETTEMBRE 2014
Available from September 2014



MISURA	90x60 cm
Size	
FINITURA	ACCIAIO INOX + VETRO
Finish	Stainless steel + glass
VERSIONE	ASPIRANTE
Version	Duct out

COMANDI	TOUCH CONTROL CON DISPLAY 3V+I
Controls	3s + B touch control with display
ILLUMINAZIONE	HALO 2X20W
Lighting	Halo 2x20W
PORTATA IEC (M³/H)	260-580 (750)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	46-64 (69)
Noise Level db(A)	
PRESSIONE (PA)	450
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	255
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	

MODELLO models	
TRIBE ISLAND IX/A/90	PRF0007697



CIRCUS PLUS ISLAND

Elica Design Center

138 | CIRCUS PLUS ISLAND

ISOLA island mounted | 139

MISURA	90x60 cm
Size	
FINITURA	ACCIAIO INOX + VETRO
Finish	Stainless steel + glass
VERSIONE	ASPIRANTE
Version	Duct out



LOW
CONSUMPTION




LED LIGHT



HIGH
PERFORMANCE



LONG LIFE
FILTER



COMANDI	LCD 3V+I
Controls	3S+B LCD
ILLUMINAZIONE	LED 2X2,5W
Lighting	Led 2x2,5W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	224-304 (619)
LIVELLO SONORO DB(A)	
Noise Level db(A)	44-61 (69)
PRESSIONE (PA)	
Pressure (Pa)	529
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	265
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	



≥ 50 cm



≥ 65 cm

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	

MODELLO models	
CIRCUS PLUS ISLAND IX/A/90	PRF0097370


DISPONIBILE DA SETTEMBRE 2014
Available from September 2014

ICEBERG

Elica Design Center



REEF ISLAND




MISURA	100x70 cm
Size	
FINITURA	ACCIAIO INOX + VETRO
Finish	Stainless steel + glass
VERSIONE	ASPIRANTE
Version	Duct out

COMANDI	TOUCH CONTROL CON DISPLAY 3V+I
Controls	3s + B touch control with display
ILLUMINAZIONE	HALO 4X20W
Lighting	Halo 4x20W
PORTATA IEC (M³/H)	290-570 (720)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	46-64 (69)
Noise Level db(A)	
PRESSIONE (PA)	480
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	330
Total absorption (W)	
USCITA (MM)	120-150
Duct Size (mm)	
FILTRO GRASSI PROFESSIONAL INOX	
Grease filter professional stainless steel	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	

MODELLO models	
ICEBERG TC IX/A/100	PRF0004283



MISURA	90x60 cm
Size	
FINITURA	ACCIAIO INOX + VETRO
Finish	Stainless steel + glass
VERSIONE	ASPIRANTE
Version	Duct out

COMANDI	TOUCH CONTROL CON DISPLAY 3V+I
Controls	3s + B touch control with display
ILLUMINAZIONE	HALO 2X20W
Lighting	Halo 2x20W
PORTATA IEC (M³/H)	260-580 (750)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	46-64 (69)
Noise Level db(A)	
PRESSIONE (PA)	450
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	255
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	

MODELLO models	
REEF ISLAND IX/A/90	PRF0007341



NERO
Black



ACCAIO INOX
Stainless steel



ACCAIO INOX + VETRO NERO
Stainless steel + black glass



ACCAIO INOX + VETRO BIANCO
Stainless steel + white glass




DOWNDRAFT

GME11: MOTORE REMOTO DA INSTALLARE ALL'INTERNO DELL'ABITAZIONE.
GME22: MOTORE ESTERNO DA INSTALLARE ALL'ESTERNO DELL'ABITAZIONE.

GME11: remote motor to be installed inside the home.
GME22: remote motor to be installed outside the home.

MISURA	90 cm
Size	
FINITURA	ACCAIO INOX, ACCIAIO INOX + VETRO BIANCO, ACCIAIO INOX + VETRO NERO
Finish	Stainless steel, stainless steel + white glass, stainless steel + black glass
VERSIONE	FILTRANTE (MOTORE INTERNO)/ASPIRANTE (MOTORE ESTERNO)
Version	Recycling (internal mot.) / Duct out (external mot.)












COMANDI	TOUCH CONTROL 3V+I
Controls	3s + B Touch control
ILLUMINAZIONE	NEON 1X14W
Lighting	Neon 1x14W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	270-580 (800)
LIVELLO SONORO DB(A)	
Noise Level db(A)	38-48 (58)
PRESSIONE (PA)	
Pressure (Pa)	540
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	250
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories	INCLUSO	CODICE code
FILTRO CARBONE	Included	FCB0060650 (2pcs)
Charcoal filter		
MOTORE ESTERNO	A RICHIESTA	PRF0006209 GME11
External motor	Optional	PRF0006212 GME22
RADIOCOMANDO NERO	A RICHIESTA	KIT02183/1
Black remote control	Optional	
RADIOCOMANDO BIANCO	A RICHIESTA	KIT0010436
White remote control	Optional	
DETTAGLI MOTORI ESTERNI DISPONIBILI A PAG. 182 See page 182 for external motor specifications		
MODELLO models		
ADAGIO BL/F/90		PRF0006191
ADAGIO WH/F/90		PRF0006195
ADAGIO IX/F/90		PRF0006197
ADAGIO GME BL/A/90		PRF0006200
ADAGIO GME WH/A/90		PRF0006204
ADAGIO GME IX/A/90		PRF0006207





TIPOLOGIA D'INSTALLAZIONE tipologia d'installazione	MODULO PRINCIPALE main module	MODULO AGGIUNTIVO add-on module	RACCORDO MULTIPLO reduction	MOTORE IN ASPIRANTE duct-out motor	PER VERSIONE FILTR.(SOLO GME 11) for recycling version (only gme 11)
 1x	up inox up light up hidden up white glass		 KIT0046504	1x  gme 11 gme 22	1x kit prima installazione kit first installation
 1x	up inox up light up hidden up white glass	1x up opt inox up opt light up opt hidden up opt white glass	 KIT0046504	1x  gme 11 gme 22	1x kit prima installazione kit first installation
 1x	up inox up light up hidden up white glass	2x up opt inox up opt light up opt hidden up opt white glass	 KIT0046504	1x  gme 11 gme 22	1x kit prima installazione kit first installation

per maggiori informazioni vedi dettagli a pag. 171 for further informations see page 171




CEILING

GME11: MOTORE REMOTO DA INSTALLARE ALL'INTERNO DELL'ABITAZIONE.
GME22: MOTORE ESTERNO DA INSTALLARE ALL'ESTERNO DELL'ABITAZIONE.

GME11: remote motor to be installed inside the home.
GME22: remote motor to be installed outside the home.

MISURA Size	50x50 cm
FINITURA Finish	INOX, VETRO BIANCO, PANNELLABILE (HIDDEN), POLICARBONATO (LIGHT) Inox, white glass, panel finish (HIDDEN), polycarbonate (LIGHT)
VERSIONE Version	ASPIRANTE Duct out



COMANDI Controls	RADIOCOMANDO 3V+I 3S+B remote control
ILLUMINAZIONE Lighting	NEON 3X8W (ONLY UP LIGHT) Neon 3x8W (only UP LIGHT)
USCITA (MM) Duct Size (mm)	150-200
FILTRO GRASSI ALLUMINIO Grease filter aluminium	

VEDI PAGINA 175 PER GLI APPROFONDIMENTI
vedi pagina 175 per gli approfondimenti

MODELLO models	CODICE code
UP INOX/A/50	PRF0046487
UP LIGHT/A/50	PRF0046488
UP HIDDEN/A/50	PRF0046489
UP WHITE GLASS/A/50	PRF0046490
GRUPPO MOTORE ESTERNO GME11	PRF0006209
GRUPPO MOTORE ESTERNO GME22	PRF0006212

ACCESSORI accessories		CODICE code
MODULO OPZIONALE UP INOX Modulo opzionale up inox	A RICHIESTA Optional	KIT0046499
MODULO OPZIONALE UP LIGHT Modulo opzionale up light	A RICHIESTA Optional	KIT0046500
MODULO OPZIONALE UP HIDDEN Modulo opzionale up hidden	A RICHIESTA Optional	KIT0046501
MODULO OPZIONALE UP WHITE GLASS Modulo opzionale up white glass	A RICHIESTA Optional	KIT0046502
KIT ISTALLAZIONE 2/3 MODULI Kit istallazione 2/3 moduli	A RICHIESTA Optional	KIT0046504
KIT INSTALLAZIONE FILTRANTE Kit installazione filtrante	A RICHIESTA Optional	KIT0046505
KIT STAFFA 400-580MM Kit staffa 400-580mm	A RICHIESTA Optional	KIT0046506
KIT RICAMBIO FILTRO (1PZ) Kit ricambio filtro (1pz)	A RICHIESTA Optional	KIT0100152
RADIOCOMANDO BIANCO White remote control	INCLUSO Included	KIT0010436
KIT TUBO SOFT 150 UP Kit tubo soft 150 UP	A RICHIESTA Optional	KIT0100153
KIT TUBO SOFT 200 UP Kit tubo soft 200 UP	A RICHIESTA Optional	KIT0100154

DETTAGLI MOTORI ESTERNI DISPONIBILI A PAG. 182
See page 182 for external motor specifications




CLOUD NINE

Elica Design Center



CEILING

MISURA	
Size	120x65 cm
FINITURA	ACCIAIO INOX + VETRO BIANCO
Finish	Stainless steel + white glass
VERSIONE	ASPIRANTE
Version	Duct out



COMANDI	REMOTE CONTROL 3V+I
Controls	3s + B remote control
ILLUMINAZIONE	NEON 1X21W
Lighting	Neon 1x21W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	320-650 (740)
LIVELLO SONORO DB(A)	
Noise Level db(A)	49-65 (68)
PRESSIONE (PA)	
Pressure (Pa)	460
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	230
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	INCLUSO	CFC0010590
Charcoal filter	Included	
RADIOCOMANDO BIANCO	INCLUSO	KIT0010436
White remote control	Included	
MODELLO models		
CLOUD NINE WH/A/120		PRF0010423




CEILING

MISURA	60x1000 cm
Size	
FINITURA	VETRO BIANCO
Finish	White glass
VERSIONE	FILTRANTE
Version	Recycling



LOW
CONSUMPTION




LED LIGHT



HIGH
PERFORMANCE



EASY
INSTALLATION



p. 175

COMANDI	RADIOCOMANDO 3V+I
Controls	3S+B remote control
ILLUMINAZIONE	2 STRIP LED 21W
Lighting	2 Strip Led 21W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	200-475 (625)
LIVELLO SONORO DB(A)	
Noise Level db(A)	41-60 (66)
PRESSIONE (PA)	
Pressure (Pa)	506
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	271
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	INCLUSO	CFC0100245
Charcoal filter	Included	
MODELLO models		
ETOILE 60X1000 AP WH/GL/F		PRF0098000

PERSONAL

Elica Design Center




SYNTHESIS

Elica Design Center



150 | ANGOLO corner mounted

ANGOLO corner mounted | 151




MISURA	100x100 cm
Size	
FINITURA	ACCIAIO INOX + VETRO
Finish	Stainless steel + glass
VERSIONE	ASPIRANTE
Version	Duct out

COMANDI	PULSANTIERA SOFT LIGHT 3V
Controls	3s Soft Light Push Button
ILLUMINAZIONE	HALO 2X20W
Lighting	Halo 2x20W
PORTATA IEC (M³/H)	230-560
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	46-66
Noise Level db(A)	
PRESSIONE (PA)	440
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	215
Total absorption (W)	
USCITA (MM)	120-150
Duct Size (mm)	
FILTRO GRASSI PROFESSIONAL INOX	
Grease filter professional stainless steel	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	

MODELLO models	
PERSONAL VT+IX/A/100	66414789



MISURA	100x100 cm
Size	
FINITURA	ACCIAIO INOX + VETRO
Finish	Stainless steel + glass
VERSIONE	ASPIRANTE
Version	Duct out

COMANDI	CONTROL BALL 3V+I
Controls	Control Ball 3S+B
ILLUMINAZIONE	HALO 4X20W
Lighting	Halo 4x20W
PORTATA IEC (M³/H)	250-490 (600)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	43-61 (65)
Noise Level db(A)	
PRESSIONE (PA)	450
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	255
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI PROFESSIONAL INOX	
Grease filter professional stainless steel	


ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00333/S
Charcoal filter	Optional	
FILTRO LUNGA DURATA	A RICHIESTA	F00262/3S
Long life filter	Optional	

MODELLO models	
SYNTHESIS IX A/100	64214507

HYDRA




RUBINO
CORNER



MISURA	100x100 cm
Size	
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	FILTRANTE
Version	Recycling
COMANDI	PULSANTIERA MECCANICA
Controls	Mechanical Push Button
ILLUMINAZIONE	HALO 4X20W
Lighting	Halo 4x20W
PORTATA IEC (M³/H)	220-600
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	44-65
Noise Level db(A)	
PRESSIONE (PA)	360
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	240
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO GRASSI	A RICHIESTA	KIT01036
PROFESSIONAL INOX	Optional	
Grease filter professional		
stainless steel		
FILTRO CARBONE	INCLUSO	CFC0013072
Charcoal filter	Included	
MODELLO models		
HYDRA ANG IX F/100		1608046/1



MISURA	100x100 cm
Size	
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	ASPIRANTE
Version	Duct out
COMANDI	SLIDER 3V
Controls	3S Slider
ILLUMINAZIONE	HALO 2X28W
Lighting	Halo 2x28W
PORTATA IEC (M³/H)	200-330
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	50-63
Noise Level db(A)	
PRESSIONE (PA)	250
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	256
Total absorption (W)	
USCITA (MM)	120
Duct Size (mm)	
FILTRO GRASSI PROFESSIONAL INOX	
Grease filter professional stainless steel	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00189/S
Charcoal filter	Optional	
MODELLO models		
RUBINO ANG IX A/100 IX		56811101A



FILO

Design FABRIZIO CRISÀ

MISURA	
Size	60 - 90 - 120 cm
FINITURA	ACCIAIO INOX + VETRO BIANCO
Finish	Stainless steel + white glass
VERSIONE	ASPIRANTE
Version	Duct out




LED LIGHT



HIGH
PERFORMANCE



LONG LIFE
FILTER



p. 175

COMANDI	ROTATIVO ELETTRONICO 3V+I
Controls	3S+B electronic rotative
ILLUMINAZIONE	LED 2X3W
Lighting	Led 2x3W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	230-470 (580)
LIVELLO SONORO DB(A)	
Noise Level db(A)	44-62 (67)
PRESSIONE (PA)	
Pressure (Pa)	470
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	256
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	



≥ 50 cm



≥ 50 cm

ACCESSORI accessories		CODICE code
FILTRO LUNGA DURATA	A RICHIESTA	KIT0037910
Long life filter	Optional	
MODELLO models		
FILO IX/A/60		PRF0025026
FILO IX/A/90		PRF0025028
FILO IX/A/120		PRF0025030

BOX IN PLUS


Elica Design Center




BOX IN

Elica Design Center







LED LIGHT



HIGH PERFORMANCE



EASY INSTALLATION




MISURA	60 - 90 - 120 cm
Size	
FINITURA	ACCIAIO INOX + VETRO BIANCO
Finish	Stainless steel + white glass
VERSIONE	ASPIRANTE
Version	Duct out


COMANDI	ROTATIVO 3V
Controls	3S rotative
ILLUMINAZIONE	LED 2 X 2,5W
Lighting	Led 2 x 2,5W
PORTATA IEC (M³/H)	250-625
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	48-68
Noise Level db(A)	
PRESSIONE (PA)	528
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	260
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	CFC0038668
Charcoal filter	Optional	
KIT CAMINO H12 BOXIN	A RICHIESTA	KIT0091876
Chimney kit H12 BoxIn	Optional	


MODELLO models	
BOX IN PLUS IXGL/A/60	PRF0097795
BOX IN PLUS IXGL/A/90	PRF0097796
BOX IN PLUS IXGL/A/120	PRF0097797




LED LIGHT



HIGH PERFORMANCE



EASY INSTALLATION



MISURA	60 - 90 - 120 cm
Size	
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	ASPIRANTE
Version	Duct out


COMANDI	ROTATIVO 3V
Controls	3S rotative
ILLUMINAZIONE	HALO 2X20W
Lighting	Halo 2x20W
PORTATA IEC (M³/H)	227-430
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	45-60
Noise Level db(A)	
PRESSIONE (PA)	288
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	210
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00479/1S
Charcoal filter	Optional	
KIT CAMINO H12 BOXIN	A RICHIESTA	KIT0091876
Chimney kit H12 BoxIn	Optional	

MODELLO models	
BOXIN IX/A/60	PRF0097835
BOXIN IX/A/90	PRF0097839
BOXIN IX/A/120	PRF0097842



MISURA	
Size	60 - 90 cm
FINITURA	ACCIAIO INOX, ACCIAIO INOX + VETRO BIANCO
Finish	Stainless steel, stainless steel + white glass
VERSIONE	ASPIRANTE
Version	Duct out



p. 175

COMANDI	TOUCH CONTROL 3+I
Controls	Touch Control 3+I
ILLUMINAZIONE	STRIP LED 7W
Lighting	Strip LED 7W
PORTATA IEC (M³/H)	225-475 (600)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	49-65 (69)
Noise Level db(A)	
PRESSIONE (PA)	530
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	262
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	



ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	CFC0038668
Charcoal filter	Optional	
MODELLO models		
HIDDEN IX/A/60		PRF0092333
HIDDEN IX/A/90		PRF0095073
HIDDEN IXGL/A/60		PRF0097676
HIDDEN IXGL/A/90		PRF0097708

ELIPLANE




ELIBLOC HT



≥ 50 cm



≥ 65 cm



p. 174

MISURA	60 - 80 cm
Size	
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	FILTRANTE
Version	Recycling

COMANDI	SLIDER ELETTRONICO
Controls	Electronic Slider
ILLUMINAZIONE	NEON PL 1X11W
Lighting	Neon PL 1x11W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	230-430
LIVELLO SONORO DB(A)	
Noise Level db(A)	52-69
PRESSIONE (PA)	
Pressure (Pa)	340
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	290
USCITA (MM)	
Duct Size (mm)	120
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	INCLUSO	F00171/S
Charcoal filter	Included	
MODELLO models		
ELIPLANE LX IX F/60		1013388/3
ELIPLANE LX IX F/80		1013389/3




≥ 50 cm



≥ 65 cm



HIGH PERFORMANCE



p. 174

MISURA	60 - 80 cm
Size	
FINITURA	SILVER
Finish	Silver
VERSIONE	ASPIRANTE
Version	Duct out

COMANDI	SLIDER 3V+I
Controls	3S+B slider
ILLUMINAZIONE	HALO 2X20W
Lighting	Halo 2x20W
PORTATA IEC (M³/H)	
IEC airflow (m³/h)	240-490 (600)
LIVELLO SONORO DB(A)	
Noise Level db(A)	52-63 (67)
PRESSIONE (PA)	
Pressure (Pa)	380
ASSORBIMENTO TOTALE (W)	
Total absorption (W)	240
USCITA (MM)	
Duct Size (mm)	150
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	


ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	F00169/1S
Charcoal filter	Optional	
MODELLO models		
ELIBLOC HT GR/A/60		1768336
ELIBLOC HT GR/A/80		17614580



≥ 50 cm



≥ 65 cm



p. 174



MISURA Size	60 - 80 cm		
FINITURA Finish	SILVER Silver		
VERSIONE Version	FILTRANTE Recycling		
COMANDI Controls	ELIBL.3 SLIDER 3V 3S Slider	ELIBL.9 STD SLIDER 3V 3S Slider	ELIBL.9LUX SLIDER 3V 3S Slider
ILLUMINAZIONE Lighting	HALO 1X28W Halo 1x28W	HALO 2X28W Halo 2x28W	HALO 2X28W Halo 2x28W
PORTATA IEC (M ³ /H) IEC airflow (m ³ /h)	120-180	160-220	200-330
LIVELLO SONORO DB(A) Noise Level db(A)	48-58	49-58	50-63
PRESSIONE (PA) Pressure (Pa)	200	220	250
ASSORBIMENTO TOTALE (W) Total absorption (W)	128	156	256
USCITA (MM) Duct Size (mm)	100	100	120
FILTRO GRASSI SINTETICO (ELIBLOC 3) Filtro grassi sintetico (elibloc 3)		FILTRO GRASSI ALLUMINIO (ELIBLOC 9) Filtro grassi alluminio (elibloc 9)	


ACCESSORI accessories	INCLUSO Included	CODICE code
FILTRO CARBONE Charcoal filter	INCLUSO Included	F00208/S (elibloc 3)
FILTRO CARBONE Charcoal filter	A RICHIESTA (*) Optional (*)	F00189/S (elibloc 9)
MODELLO models		
ELIBLOC 3 SILVER F/60		1725518/3
ELIBLOC 3 SILVER F/80		1726220/2
ELIBLOC 9 ST GR A/60 (*)		17511887A
ELIBLOC 9 ST GR A/80 (*)		17511888A
ELIBLOC 9 ST SILVER F/60		1755555/3
ELIBLOC 9 ST SILVER F/80		1755556/3
ELIBLOC 9 LX SILVER F/60		1745563/3
ELIBLOC 9 LX SILVER F/80		1745564/3



≥ 50 cm



≥ 65 cm



p. 175



MISURA Size	60 - 90 cm	
FINITURA Finish	ACCIAIO INOX Stainless steel	
VERSIONE Version	FILTRANTE Recycling	
COMANDI Controls	STD SLIDER 3V 3S Slider	LUX SLIDER 3V 3S Slider
ILLUMINAZIONE Lighting	HALO 1X28W Halo 1x28W	HALO 2X28W Halo 2x28W
PORTATA IEC (M ³ /H) IEC airflow (m ³ /h)	140-220	140-360
LIVELLO SONORO DB(A) Noise Level db(A)	49-60	51-69
PRESSIONE (PA) Pressure (Pa)	180	430
ASSORBIMENTO TOTALE (W) Total absorption (W)	128	216
USCITA (MM) Duct Size (mm)	125 (sup-post)	125 (sup-post)
FILTRO GRASSI ALLUMINIO Grease filter aluminium		

ACCESSORI accessories	INCLUSO Included	CODICE code
FILTRO CARBONE Charcoal filter	INCLUSO Included	F00572/S
MODELLO models		
KREA ST IX F/60		55311065/3
KREA ST IX F/90		55311075/3
KREA LX IX F/60		55311112/2
KREA LX IX F/90		55311129/2


ELISUMMER

ESTRAIBILE



164 | INCASSO built-in


INCASSO built-in | 165



p. 174

MISURA Size	60 - 80 - 90 cm	
FINITURA Finish	NERO, BIANCO, ACCIAIO INOX, FRONTALE INOX Black, white, stainless steel, stainless steel front panel	
VERSIONE Version	FILTRANTE Recycling	
COMANDI Controls	SLIDER 3V 3S Slider	
ILLUMINAZIONE Lighting	HALO 1X28W Halo 1x28W	
PORTATA IEC (M³/H) IEC airflow (m³/h)	120-190	
LIVELLO SONORO DB(A) Noise Level db(A)	49-62	
PRESSIONE (PA) Pressure (Pa)	240	
ASSORBIMENTO TOTALE (W) Total absorption (W)	128	
USCITA (MM) Duct Size (mm)	120	
FILTRO GRASSI SINTETICO Synthetic grease filter		

ACCESSORI accessories		CODICE code
FILTRO CARBONE	INCLUSO	F00173/S
Charcoal filter	Included	
MODELLO models		
ELISUMMER SE ST BL F/60		4577993/2
ELISUMMER SE ST BL F/80		4578001/2
ELISUMMER SE ST BL F/90		4577994/2
ELISUMMER SE ST WH F/60		4577991/2
ELISUMMER SE ST WH F/80		4578002/2
ELISUMMER SE ST WH F/90		4577992/2
ELISUMMER SE ST IX F/60		4577997/2
ELISUMMER SE ST IX F/80		4578003/2
ELISUMMER SE ST IX F/90		4577998/2
ELISUMMER SE ST F.X F/60		4578117/2
ELISUMMER SE ST F.X F/80		4578118/2
ELISUMMER SE ST F.X F/90		4578119/2



p. 175

MISURA	60 - 90 cm	
Size		
FINITURA	SILVER; SILVER + ACCIAIO INOX	
Finish	Silver; silver + stainless steel	
VERSIONE	FILTRANTE	
Version	Recycling	
	STD	LUX
COMANDI	SLIDER 3V	SLIDER 3V
Controls	3S Slider	3S Slider
ILLUMINAZIONE	HALO 1X28W	HALO 2X28W
Lighting	Halo 1x28W	Halo 2x28W
PORTATA IEC (M³/H)	130-170	140-200
IEC airflow (m³/h)		
LIVELLO SONORO DB(A)	50-59	55-60
Noise Level db(A)		
PRESSIONE (PA)	220	240
Pressure (Pa)		
ASSORBIMENTO TOTALE (W)	128	315
Total absorption (W)		
USCITA (MM)	100-125	100-125
Duct Size (mm)		
FILTRO GRASSI SINTETICO (STD)	FILTRO GRASSI ALLUMINIO (LUX)	
Filtro grassi sintetico (STD)	Filtro grassi alluminio (LUX)	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	INCLUSO	FB01UA
Charcoal filter	Included	
MODELLO models		
ESTRAIBILE T ST GR/F/60		67014903/2
ESTRAIBILE T ST GR/F/90		67014904/2
ESTRAIBILE T LX GR/F/60		67014905/2
ESTRAIBILE T LX GR/F/90		67014906/2
ESTRAIBILE T LX GR-FR IX/F/60		67014907/2
ESTRAIBILE T LX GR-FR IX/F/90		67014909/2




≥ 50 cm



≥ 65 cm



HIGH
PERFORMANCE



p. 174



MISURA	60 - 90 cm
Size	
FINITURA	ACCIAIO INOX
Finish	Stainless steel
VERSIONE	ASPIRANTE
Version	duct out

COMANDI	TOUCH CONTROL 3V+I
Controls	3s + B Touch control
ILLUMINAZIONE	HALO 2X20W
Lighting	Halo 2x20W
PORTATA IEC (M³/H)	230-500 (600)
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	44-61 (64)
Noise Level db(A)	
PRESSIONE (PA)	475
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	190
Total absorption (W)	
USCITA (MM)	150
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	CFC0038668
Charcoal filter	Optional	


MODELLO models	
ELITE26 IX/A/60	PRF0038809
ELITE26 IX/A/90	PRF0038812



≥ 50 cm



≥ 65 cm



p. 174



MISURA	60 - 90 cm
Size	
FINITURA	SILVER + ACCIAIO INOX
Finish	Silver + acciaio inox
VERSIONE	ASPIRANTE
Version	Duct out

COMANDI	PULSANTIERA MECCANICA 3V
Controls	3S mechanical push button
ILLUMINAZIONE	HALO 2X28W
Lighting	Halo 2x28W
PORTATA IEC (M³/H)	240-350
IEC airflow (m³/h)	
LIVELLO SONORO DB(A)	53-62
Noise Level db(A)	
PRESSIONE (PA)	290
Pressure (Pa)	
ASSORBIMENTO TOTALE (W)	206
Total absorption (W)	
USCITA (MM)	120
Duct Size (mm)	
FILTRO GRASSI ALLUMINIO	
Grease filter aluminium	

ACCESSORI accessories		CODICE code
FILTRO CARBONE	A RICHIESTA	CFC0038000
Charcoal filter	Optional	

MODELLO models	
ELITE14 LUX GRIX/A/60	PRF0037989
ELITE14 LUX GRIX/A/90	PRF0037992



LOW CONSUMPTION

LOW CONSUMPTION

I ridotti consumi dei prodotti Elica sono garantiti dall'innovativo sistema Synairgy e dall'interfaccia comandi Chef Control. Synairgy è il sistema aspirante per cappe più efficiente al mondo, che riduce del 50% il consumo di energia elettrica rispetto alle cappe tradizionali. Synairgy unisce in perfetta sinergia un sistema elettrico silenzioso a un controllo elettronico intelligente, che è in grado di autoregolarsi. Chef Control è l'innovativo comando digitale che imposta l'aspirazione ideale a seconda della tipologia di cottura. In più, le funzioni speciali Silent e Booster attivano immediatamente la massima silenziosità o la massima potenza per aspirare fumi e vapori di particolare intensità.

The low power consumption of Elica products is ensured by the innovative system Synairgy and the control interface Chef Control.

Synairgy is the world's most efficient suction system for extractor hoods, and it will reduce your carbon footprint by cutting electricity consumption by 50% compared to traditional hoods. Synairgy combines, in perfect synergy, a low-noise electrical system with an intelligent electronic control system that can adjust itself automatically.

Chef Control is the innovative digital control that sets optimum suction according to the type of cooking. What's more, the special Silent and Booster functions immediately cater for the most common needs: minimum noise for unobtrusive operation or maximum power to extract particularly intense fumes or vapours.



LED LIGHT

LED LIGHT

Queste cappe sono dotate di sistemi di illuminazione basati sulla tecnologia LED (Light Emitting Diode). I LED garantiscono una illuminazione ottimale del piano cottura per agevolare la preparazione dei cibi. Inoltre, hanno una durata fino a 10 volte maggiore delle lampade tradizionali e consentono di risparmiare il 90% di energia elettrica.

These products are equipped with LED (Light Emitting Diode) lighting systems. LEDs provide optimum cooktop lighting to facilitate food preparation.

What's more, they last up to 10 times longer than conventional bulbs and deliver energy savings of 90%.



HIGH PERFORMANCE

HIGH PERFORMANCE

Modelli dalle performance di aspirazione molto elevate, particolarmente indicati per grandi ambienti cucina o per abitudini culinarie che richiedono intense bolliture, frittture, grigliature.

Models with exceptionally high suction performance, which are ideal for large kitchens or cooking habits that require intensive sessions of boiling, frying and grilling.



BACK ASPIRATION


BACK ASPIRATION

Queste cappe hanno l'uscita dell'aria sia nella parte superiore che nella parte posteriore.

La classica uscita superiore è indicata sia per il funzionamento in filtrante che per il funzionamento in aspirante con camino a vista. L'innovativa uscita posteriore permette il funzionamento in aspirante collegando la cappa a un condotto di evacuazione dei fumi predisposto all'interno del muro, su cui la cappa stessa verrà installata.

These range hoods have an air outlet both at their top and at their rear.

The classical upper outlet is indicated for both recirculating and duct-out operation with exposed flue. The innovative rear outlet allows duct-out operation, by connecting the hood to a fume exhaust duct inside the wall, on which the hood will be installed.



ELICA DEEP SILENCE

ELICA DEEP SILENCE

Le cappe equipaggiate con il sistema Elica Deep Silence (EDS3) sono le più silenziose al mondo. La tecnologia impiegata permette una funzionalità estremamente silenziosa, addirittura impercettibile alle basse velocità, con una riduzione di inquinamento acustico ambientale di oltre il 35% rispetto alle cappe tradizionali, senza pregiudicarne le prestazioni di aspirazione. EDS3 è un brevetto esclusivo Elica.

The extractor hoods equipped with Elica Deep Silence system (EDS3) are the quietest in the world. The technology used ensures extremely quiet operation, so much so that you won't even hear it at low speed. The system reduces household noise pollution by over 35% compared to traditional extractor hoods, without compromising suction performance.

EDS3 is an exclusive Elica patent.



AMBIENT LIGHT

AMBIENT LIGHT

L'illuminazione è la condizione per vedere, giocare, cucinare, vivere. Se tutte le cappe Elica illuminano efficacemente il piano di lavoro, quelle dotate di "Ambient Light" diffondono luce anche nell'ambiente circostante. Una vantaggiosa opzione per disporre di un punto luce in più che illumini e arreli la tua cucina.

Whether you want to see, play, cook or live, lighting is a vital ingredient. All Elica hoods illuminate the cooktop effectively, but the hoods equipped with "Ambient Light" also provide diffused lighting for the surrounding environment.

Giving you an extra light source for both practicality and atmosphere.



ELICA TOP FILTERING

ELICA TOP FILTERING

Le cappe Elica equipaggiate con il nuovo, esclusivo filtro Elica, protetto da un brevetto internazionale, consentono una capacità di filtraggio mai ottenuta prima, a parità di altre condizioni di funzionamento (portata e pressione). Il risultato? Una tecnologia che consente di raggiungere più del 98%* di efficienza di filtraggio, certificato in Classe A dalla nuova etichetta energetica dell'Unione Europea, contro un'attuale efficienza di filtraggio delle cappe tradizionali raggiunge circa il 70-80%.

*Max raggiungibile che può differire a seconda di motorizzazioni e strutture geometriche della cappa.

Elica hoods equipped with the new, exclusive Elica filter, protected by an international patent, ensure a filtering capability never achieved before.

A technology that allows reaching over 98%* filtering efficiency, certified in Class A by the new energy label of the European Union, against the current filtering efficiency level of traditional extractor hoods, which reaches about 70-80%.

*Maximum level that may differ depending on motors and structural shapes of the hood.





LONG LIFE FILTER

Filtro odori innovativo con elevato livello di efficienza, unico, capace di rigenerarsi e di durare fino a un massimo di 3 anni rispetto ai filtri standard che durano mediamente dai 3 ai 6 mesi. Per mantenere tale caratteristiche il filtro deve essere lavato ogni 2 o 3 mesi utilizzando acqua calda con un detergente delicato o nella lavastoviglie a 65°C. Una volta finito il lavaggio ed eliminato l'acqua in eccesso il filtro può essere asciugato in forno per 10 minuti a 100°C.

An innovative and unique odour filter with high efficiency level, capable of reconditioning and lasting up to 3 years, compared to standard filters whose average service life is 3 to 6 months. In order to keep such characteristics, the filter should be washed every 2 or 3 months with hot water and a delicate detergent or in the dishwasher at 65°C. After finishing washing and removing excess water, the filter can be dried in the oven for 10 minutes at 100°C.



EASY INSTALLATION

I prodotti dotati di Easy Installation sono studiati per rendere più semplice le fasi di installazione di un prodotto sia esso a parete, attraverso una successiva regolazione di allineamento del prodotto tra i pensili sia da incasso attraverso semplici fasi.

Products equipped with Easy Installation are designed to simplify the installation of a product, whether it is wall-mounted, by subsequent adjustment to align the product between the wall units, or built-in, through simple phases.



DOUBLE BREATH

In aggiunta alla classica zona frontale di aspirazione, è stata progettata un'apertura inferiore, che permette ai fumi di cottura di essere captati in maniera ancor più rapida e diretta, assicurando così performance sempre migliori.

In addition to the classical frontal area of suction, a lower opening was designed, which allows the cooking fumes to be picked in an even more rapid and direct manner, thus always ensuring the best performance.




UP GUIDA ALLA SCELTA E ALL'INSTALLAZIONE Up set-up options and installation guide

È possibile comporre Up in innumerevoli configurazioni a scelta: innanzitutto si stabilisce il numero di moduli aspiranti, da 1 a 3, aggiungendo moduli opzionali al modulo base. Sia il modulo base che gli opzionali possono essere scelti tra 4 diverse finiture. Up si installa all'interno del controsoffitto, dove è eventualmente alloggiabile anche il motore (in aspirante o in filtrante); è possibile collocare il motore stesso anche all'esterno dell'unità abitativa (solo modalità aspirante). Nello schema seguente, si possono trovare tutte le indicazioni e gli elementi per una corretta scelta dei moduli, del motore e delle tubazioni necessarie all'installazione.


Up is available in a number of different configurations. You can choose the number of aspiration modules (1-3), adding extra ones to the standard module as required. The standard and optional modules are available in 4 different finishes. Up can be easily installed in false ceilings alongside the motor (both recirculation or ducted configurations are possible); the motor can also be installed outside your home or flat (ducted configuration only). The following diagram gives you all the information and details you need to choose the right combination of modules, motor and pipes for your desired set-up.

MODALITÀ D'INSTALLAZIONE installation mode


ASPIRANTE CON MOTORE ESTERNO Duct out with external motor



ASPIRANTE CON MOTORE INTERNO Duct out with internal motor




FILTRANTE CON MOTORE INTERNO Recycling with internal motor




COMPOSIZIONE MODULI module composition


1 MODULO 1 module



2 MODULI 2 modules



3 MODULI 3 modules



KIT INSTALLAZIONE UP installation kit

KIT0046505

Kit installazione filtrante
Installation recycling kit



KIT0046504

Kit installazione 2/3 moduli
Installation kit 2/3 modules



KIT0100153

Kit tubo flessibile soft Ø 150x1,5m (10 pz)
Soft flexible pipe kit Ø 150x1,5m (10 pcs)




KIT0100154


Kit tubo flessibile soft Ø 200x1,5m (10 pz)
Soft flexible pipe kit Ø 200x1,5m (10 pcs)




35CC (aspirante parete wall ducting out)




35CC (back aspiration)




35CC ISLAND (aspirante ducting out)




35CC ISLAND




70CC (aspirante parete wall ducting out)




70CC (back aspiration)




70CC ISLAND (aspirante ducting out)



70CC ISLAND




ADAGIO




Dimensioni taglio top: 842x100 mm
Cutting dimensions: 842x100 mm


AMÉLIE




ÉDITH




Belt




BOX IN PLUS - BOX IN




CAPITOL




CLOUD NINE




ELEKTRA




ELIBLOC 3




ELIBLOC 9




ESTRAIBILE




ÉTOILE




ELIBLOC HT




ELIPLANE




FEEL




FILO




ELISUMMER




ELITE 14




GRACE - PLATINUM - JASMINE - WAVE




HIDDEN




ELITE 26




ELLE




ICO




KREA




MINI OM




NUAGE




TIFFANY




UP




OM




OM AIR




VERTIGO




YE




SINFONIA




SOO




SPACE




STRIPE






KIT01054 (long)
KIT01796 (short)

DISPONIBILE PER available for
om




KIT01513 (long)
KIT01797 (short)

DISPONIBILE PER available for
mini om / vertigo




KIT0010703 (long)
KIT0010704 (short)

DISPONIBILE PER available for
elle / ico




KIT0038774

DISPONIBILE PER available for
35cc / 70cc




KIT0038310 (long) - KIT0038311 (short)

DISPONIBILE PER available for
tiffany




KIT0038773

DISPONIBILE PER available for
35cc




KIT0038778

DISPONIBILE PER available for
70cc




KIT0010439 (long) - KIT0010700 (short)

DISPONIBILE PER available for
am lie / belt 80 / capitol / feel / om air
/ sinfonia / soo




KIT0010519 (long) - KIT0010701 (short)

DISPONIBILE PER available for
belt 55




KIT0038776

DISPONIBILE PER available for
35cc island



KIT0038782

DISPONIBILE PER available for
70cc island




- KIT0049580 BIANCO white
- KIT0049581 TORTORA umber
- KIT0049582 AZZURRO light blue
- KIT0049583 AVORIO ivory
- KIT0049584 ARANCIO orange
- KIT0049585 VERDE green

DISPONIBILE PER available for
sweet


COD. 1052A

Tubo rettangolare 150x70x1000mm
Rectangular pipe 150x70x1000mm




COD. 1052B

Tubo rettangolare 150x70x1500mm
Rectangular pipe 150x70x1500mm




COD. 1053M

Tubo rettangolare 220x90x1000mm
Rectangular pipe 220x90x1000mm




COD. 1052C

Tubo rett. flessib. 150x70x1000mm
Rectangular pipe fl. 150x70x1000mm



COD. 1053R

Curva rett. 90° orizz. 220x90mm
Horizontal rect. curve 90° 220x90mm



Kit prima installazione
First installation kit




Kit prima installazione
First installation kit




COD. 1053S

Curva rett. 90° verticale 220x90mm
Vertical rectangular 90° curve 220x90mm




COD. 1052F

Curva rett. 90° orizz. 150x70mm
Horizontal rect. curve 90° 150x70mm




COD. 1052G

Giunz. rett. rotondo 150x70-Ø125mm
Rectangular-round joint 150x70-Ø125mm




COD. 1053Q

Giunz. rett. rotondo 220x90-Ø150mm
Rectangular-round joint 220x90-Ø150mm



COD. 1052E

Curva rett. 90° orizz. 150x70mm
Horizontal rect. curve 90° 150x70mm



COD. KIT0094727

Kit tubo alluminio+fascetta (Ø125)
Aluminium hose kit+hose clamp (Ø125)

COD. KIT0100153

Kit tubo fl. soft Ø150x1,5m(10 pz)+fascette(20 pz)
Soft fl. pipe kit Ø150x1,5m(10 pcs)+hose clamps(20 pcs)

COD. KIT0094725


Kit tubo alluminio+fascetta (Ø150)
Aluminium hose kit+hose clamp (Ø150)

COD. KIT0100154

Kit tubo fl. soft Ø200x1,5m(10 pz)+fascette(20 pz)
Soft fl. pipe kit Ø200x1,5m(10 pcs)+hose clamps(20 pcs)


COD. 1052L

Racc. multiplo 125-100mm
Reduction 125-100mm




COD. 1052M

Racc. multiplo 150-125mm
Reduction 150-125mm




COD. 1052N

Tubo rotondo fless. 125x1000mm
Round flexible hose 125x1000mm



COD. 1052W

Tubo rotondo fless. 125x3000mm
Round flexible hose 125x3000mm



ACCESSORI PRESTAZIONALI
Accessories for high performance

KIT0010804 Kit Professional Buffle Inox



DISPONIBILE PER Available for
aqua / cruise / free spot / lol / om / spot / spot ng /
spot plus / spot plus island / stone / tamaya / tropic

KIT0010805 Kit Grease Filter Aluminium



DISPONIBILE PER Available for
aqua / cruise / free spot / lol / om / spot / spot ng /
spot plus / spot plus island / stone / tamaya / tropic


KIT0010806 Kit Professional Inox Aleph



DISPONIBILE PER Available for
aqua / cruise / free spot / lol / om / spot / spot ng /
spot plus / spot plus island / stone / tamaya / tropic


COD. 1052AD

Tubo rotondo fless. 150x3000mm
Round flexible hose 150x3000mm




COD. 1052O

Tubo rotondo 125x1000mm
Round hose 125x1000mm




COD. 1053W

Tubo rotondo 150x1000mm
Round hose 150x1000mm



COD. 1053X

Tubo rotondo 150x500mm
Round hose 150x500mm



KIT0010807 Kit Prof. Inox Milos




DISPONIBILE PER Available for
aqua / lol / spot plus / spot plus island / tamaya / tropic

KIT0094730 E-Paper (2 pz.)




COD. 1052P

Giunzione rotonda Ø125
Round joint Ø125




COD. 1053Z

Giunzione rotonda Ø150
Round joint Ø150




COD. 1052Q

Curva rotonda rett. 150x70-Ø125mm
Round-rect. curve 150x70-Ø125mm




COD. 1053P

Curva rotonda rett. 220x90-Ø1250mm
Round-rect. curve 220x90-Ø1250mm




COD. 1052R

Curva rotonda 90° Ø125mm
Round curve 90° Ø125mm




COD. 1053Y

Curva rotonda 90° Ø150mm
Round curve 90° Ø150mm




COD. 1053N

Giunzione rettangolare 220x90mm
Rectangular joint 220x90mm



COD. 1052D


Giunzione rettangolare 150x70mm
Rectangular joint 150x70mm



MOTORI ESTERNI
External motors

FILTRI CARBONE
Charcoal filters

PRF0006209 GME 11 (adagio, up)



USCITA (mm) Duct size	150
PORTATA IEC (m³/h) IEC airflow	330-730 (1000)
LIVELLO SONORO DB(A) Noise level	46-56 (63)
PRESSIONE (PA) Pressure	480
ASSORBIMENTO (W) Absorption	265

PRF0006212 GME 22 (adagio, up)



USCITA (mm) Duct size	150
PORTATA IEC (m³/h) IEC airflow	480-820 (1000)
LIVELLO SONORO DB(A) Noise level	46-59 (64)
PRESSIONE (PA) Pressure	500
ASSORBIMENTO (W) Absorption	150

E-CARE
E-care

E-CLEAN GLASS KIT0092742



PULITORE PER VETRO
Glass cleaner

E-Clean Glass è il detergente ideale per la pulizia del vetro. La sua potente azione sgrassante assicura un'igiene profonda e una brillantezza di lunga durata, senza lasciare aloni.
E-Clean Glass è un detergente a base di acqua, formulato con materiali di natura vegetale velocemente biodegradabili.

E-Clean Glass is the ideal detergent for glass cleaning. Its powerful degreasing action ensures hygiene and a deep long lasting brilliance, without leaving marks.
E-Clean Glass is a water-based detergent formulated with rapidly biodegradable materials of vegetable nature.

E-CLEAN STEEL KIT0092737



PULITORE PER PER ACCIAIO
Steel cleaning agent

E-Clean Steel è il detergente ideale per la pulizia dell'acciaio. La sua potente azione sgrassante assicura un'igiene profonda e una brillantezza di lunga durata, senza lasciare aloni. E-Clean Steel è un detergente a pH neutro, a base di acqua, formulato con materiali di natura vegetale. Il pH neutro garantisce l'efficace protezione delle superfici.

E-Clean Steel is the ideal detergent designed for steel cleaning. Its powerful degreasing action ensures hygiene and a deep long lasting brilliance, without leaving marks.
E-Clean Steel is a neutral pH detergent, water-based, formulated with materials of vegetable nature. The neutral pH ensures effective protection against corrosion.

E-SOFT KIT0092747



PANNO MULTIUSO IN MICRORFIBRA
Microfiber cleaning cloth

E-Soft è un panno multiuso appositamente studiato per pulire ed igienizzare con una sola passata tutte le superfici, anche senza l'uso di detersivi. E' ideale per la pulizia di tutti i materiali presenti in cucina e negli ambienti domestici quali acciaio, legno, metallo, plastica, specchio, vetro. Può essere usato sia asciutto che inumidito con acqua. Lavabile in lavatrice (max 60°).

E-Soft is a multi-purpose cloth designed to clean and sanitize in one touch all surfaces, even without using detergents. Ideal for cleaning all materials present in the kitchen and in home environments such as steel (or stainless steel), wood, metal, plastic, mirror, glass. It can be used both dry and moistened with water. Machine washable (max 60°C).

CODICE
Code

MODELLO CAPP
Cooker hoods

PAG.
Pgs.

FILTRO LUNGA DURATA long life filter

CFC0020331	feel	56
CFC0038699	seashell	102
CFC0047652	sweet	94
CFC0097952	chrome	124
	horizonte	80
	meridiana	130
	space	66
	tender	81
CFC0098631	édith	104
CFC0098633	ye	122
F00262/3S	circus/reef	93
	circus plus	92
	circus plus island	139
	flat glass/tribe	91
	flat glass plus	90
	flat glass plus isl.	136
	free spot	135
	galaxy	83
	galaxy island	131
	iceberg	140
	joy	88
	joy island	132
	lol	78
	menhir	125
	moon	82
	moon island	128
	personal	150
	reef island	141
	spot	86
	spot ng/cruise	87
	spot plus	84
	spot plus island	134
	stone	76
	synthesis	151
	trendy	85
	trendy island	133
	tribe island	137
F00264/1S	juliette	115
F00431/S	kuadra	77
	kuadra island	127
	mini om	65
	tube	75
	tube island	126
	grace	108

CODICE
Code

MODELLO CAPP
Cooker hoods

PAG.
Pgs.

FILTRO LUNGA DURATA long life filter

F00433/1	isolabella	112
	naked	113
	platinum	110
	star	106
	twin	111
	wave	109
F00439	elektra	74
	ico	58
	jasmine	114
	om	64
	sinfonia	62
KIT0037910	filo	154

FILTRO CARBONE charcoal filter

CFC0010590	cloud nine	146
CFC0013072	alba cubo island	117
	aqua	97
	tamaya/tropic	96
	tonda	98
CFC0038000	elite14	167
CFC0038668	35cc	52
	70cc	54
	35cc island	118
	70cc island	120
	amélie	44
	belt	70
	box in plus	156
	capitol	72
	elite26	166
	elle	48
	hidden	158
	nuage	46
	om air	42
	soo	50
	stripe	68
	tiffany	60
	vertigo	61
CFC0100245	étoile	148
F00169/1S	elibloc ht	161
	hydra	152
F00171/S	eliplane	160
F00173/S	elisummer	164
	totem	100

CODICE
Code

MODELLO CAPP
Cooker hoods

PAG.
Pgs.

FILTRO CARBONE charcoal filter

F00187/S	ice	89
F00189/S	elibloc 9	162
	rubino corner	153
F00208/S	elibloc 3	162
F00333/S	circus/reef	93
	circus plus	92
	circus plus island	139
	flat glass/tribe	91
	flat glass plus	90
	flat glass plus isl.	136
	free spot	135
	galaxy	83
	galaxy island	131
	iceberg	140
	joy	88
	joy island	132
	lol	78
	menhir	125
	personal	150
	moon	82
	moon island	128
	reef island	141
	spot	86
	spot ng/cruise	85
	spot plus	84
	spot plus island	134
	stone	76
	synthesis	151
	trendy	85
	trendy island	133
	tribe island	137
F00479/1S	missy	99
F00572/S	krea	165
	vega	101
FB01UA	estraibile	165
FCB0060650	adagio	142
KIT0100152	up	144



Elica ti offre di più! Elica mette a disposizione un mondo di servizi per mantenere i suoi prodotti sempre efficienti e giovani. Accompagniamo i nostri clienti anche dopo l'acquisto avendo cura del loro tempo e della loro nuova cappa. Semplificare la vita ai nostri clienti! Questo l'imperativo di Elica.

Elica offers you more! Elica makes a world of services available to you that will help you to keep your products fresh and working efficiently. We believe in looking after our customers even after the purchase has been made, providing an extended period of time for them to feel that they and their new cooker hood are in safe hands. This is our main aim here at Elica: to make our customers' lives as easy as possible!

METODO DI ADESIONE How to sign up

I servizi offerti da Elica sono acquistabili nelle seguenti modalità (valide solo per il territorio italiano):

- Online al sito www.mylolica.com
- Telefonicamente chiamando per l'Italia il numero verde 800.888.444

In entrambi i casi dovranno essere comunicati i dati relativi al prodotto e all'utente. Tale servizio è valido solo se legato ad un prodotto con meno di 12 mesi di vita ed utilizzato esclusivamente ad uso domestico.

The services offered by Elica can be acquired in the following ways(valid only for Italy):

- Online at the www.mylolica.com website
- By telephone, calling the number for Italy 800.88.444

In both cases, it is necessary to communicate the data relating to the product and the user. This service is valid only in relation to a product with less than 12 months of life and employed exclusively for domestic use.

ATTIVAZIONE Activation

L'acquisto del suo pack prevede una breve fase di attivazione che deve essere completata non oltre i 12 mesi di vita del prodotto, pena la decadenza del servizio stesso. La fornitura del servizio potrebbe essere erogata da una società partner di Elica. L'attivazione deve essere eseguita online all'indirizzo seguente: www.mylolica.com

When you acquire a pack, there is a brief activation phase which must be completed before the product's life reaches 12 months: otherwise, the service will no longer be available. The service may be carried out by an Elica partner company. Please register online your pack at following address: www.mylolica.com



PREMIUM PACK

1. Manodopera: La manodopera dei nostri tecnici sarà fornita senza ulteriori oneri di spesa fino a 5 anni (*) di vita del prodotto

2. Ricambi: La sostituzione di eventuali pezzi di ricambio originali sarà completamente gratuita fino a 5 anni(*) di vita del prodotto.

3. Diritto di chiamata: nessun diritto di chiamata dovrà essere corrisposto fino a 5 anni(*) di vita del prodotto.

4. Consulente tecnico: sarà a disposizione un consulente tecnico per risolvere qualsiasi problema o difficoltà di comprensione dei termini della garanzia legale offerta sin dai primi 24 mesi dall'acquisto del prodotto.

5. Consulente commerciale: alla scadenza dei 5 anni un tecnico specializzato avrà cura di contattarvi per verificare il corretto funzionamento del prodotto, darvi un breve aggiornamento sulle novità dei prodotti Elica SpA ed eventualmente supportarvi nell'acquisto agevolato di un nuovo prodotto con uno sconto speciale a voi riservato.

1. Technical assistance: Technical assistance will be supplied with no extra charge for up to 5 years(*) of the product's life.

2. Spare parts: The supply of original spare parts will be completely free for up to 5 years(*) of the product's life.

3. Minimum charge: No minimum charge will be requested for up to 5 years(*) of the product's life.

4. Technical consultant: A technical consultant will be available to solve any problem or difficulty concerning comprehension of the terms of the legal warranty offered for the first 24 months after the purchase of the product.

5. Commercial Consultant: After 5 years have passed, a specialised technician will contact you to verify the correct functioning of the product, update you briefly about new Elica products and, where desired, assist you in the purchase of a new product on easy terms with a special personalised discount.

GARANTISCITI UN SERVIZIO MIGLIORE
REGISTRANDO IL TUO PRODOTTO SUL SITO

GUARANTEE A BETTER SERVICE
REGISTERING YOUR PRODUCT AT THE
WEBSITE

www.mylolica.com

(*) I 5 anni decorrono dalla data di acquisto dell'apparecchio, che deve essere comprovata da un documento di consegna o scontrino fiscale. Valgono le stesse condizioni riportate sul certificato di garanzia convenzionale. L'azienda si riserva in qualsiasi momento di apportare modifiche all' iniziativa 2+2=5 comunicando le variazioni al momento della richiesta di adesione.

(*) The 5-year period begins at the date of purchase, which must be proven by a delivery document or receipt. The same conditions apply as those indicated in the conventional guarantee certificate. The company reserves the right to modify the 2+2=5 initiative at any moment, communicating said modifications when the user signs up for the service.



ADVANTAGE PACK

1. Manutenzione programmata: Visita a domicilio, programmata durante il 2° anno di vita del prodotto, da parte di un tecnico specializzato per effettuare la manutenzione ordinaria: pulizia filtri grassi, verifica funzionamento motore, efficienza dei materiali di consumo, luci, verifica estetica e pulizia completa del prodotto.

2. Sconto su acquisto accessori: Aderendo al pack Advantage si ha diritto ad uno sconto del 10% sull'acquisto di accessori ORIGINALI ELICA sul sito www.elica.com

3. Manodopera: La manodopera dei nostri tecnici sarà fornita senza ulteriori oneri di spesa fino a 5 anni(*) di vita del prodotto.

4. Ricambi: La sostituzione di eventuali pezzi di ricambio originali sarà completamente gratuita fino a 5 anni(*) di vita del prodotto.

5. Diritto di chiamata: Nessun diritto di chiamata dovrà essere corrisposto fino a 5 anni(*) di vita del prodotto.

6. Consulente tecnico: Sarà a disposizione un consulente tecnico per risolvere qualsiasi problema o difficoltà di comprensione dei termini della garanzia legale offerta sin dai primi 24 mesi dall'acquisto del prodotto.

7. Consulente commerciale: Alla scadenza dei 5 anni un tecnico specializzato avrà cura di contattarvi per verificare il corretto funzionamento del prodotto, darvi un breve aggiornamento sulle novità dei prodotti Elica SpA ed eventualmente supportarvi nell'acquisto agevolato di un nuovo prodotto con uno sconto speciale a voi riservato.

1. Maintenance appointment: A specialised technician will visit your house during the 2nd year of the product's life in order to carry out routine maintenance: checking motor function, efficiency of consumable materials, lights and general appearance, cleaning grease filters, and completely cleaning the whole product.

2. Discount on accessories: With the Exclusive Pack, you get a 10% discount when buying ORIGINAL ELICA accessories at the www.elica.com website.

3. Technical assistance: Technical assistance will be supplied with no extra charge for up to 5 years(*) of the product's life.

4. Spare parts: The supply of original spare parts will be completely free for up to 5 years(*) of the product's life.

5. Minimum charge: No minimum charge will be requested for up to 5 years(*) of the product's life.

6. Technical consultant: A technical consultant will be available to solve any problem or difficulty concerning comprehension of the terms of the legal warranty offered for the first 24 months after the purchase of the product.

7. Commercial Consultant: After 5 years have passed, a specialised technician will contact you to verify the correct functioning of the product, update you briefly about new Elica products and, where desired, assist you in the purchase of a new product on easy terms with a special personalised discount.



EXCLUSIVE PACK

1. Installazione e pulizia: Installazione a regola d'arte effettuata a domicilio con l'utilizzo esclusivo di accessori originali Elica (non inclusi) da parte di un tecnico specializzato entro 5 giorni dalla richiesta. È compresa la rimozione di eventuale film protettivo e pulizia con detergenti specifici.

2. Prima Accensione e Collaudo: Verifica del perfetto funzionamento del prodotto e rilascio del certificato di conformità richiesto dalle normative vigenti (Dichiarazione di conformità - Legge 37/08).

3. Manutenzione programmata: Visita a domicilio, programmata durante il 2° anno di vita del prodotto, da parte di un tecnico specializzato per effettuare la manutenzione ordinaria : pulizia filtri grassi, verifica funzionamento motore, efficienza dei materiali di consumo , luci, verifica estetica e pulizia completa del prodotto.

4. Sconto su acquisto accessori: Aderendo al pack Exclusive si ha diritto ad uno sconto del 15% sull'acquisto di accessori ORIGINALI ELICA sul sito www.elica.com

5. Manodopera: La manodopera dei nostri tecnici sarà fornita senza ulteriori oneri di spesa fino a 5 anni(*) di vita del prodotto.

6. Ricambi: La sostituzione di eventuali pezzi di ricambio originali sarà completamente gratuita fino a 5 anni(*) di vita del prodotto.

7. Diritto di chiamata: Nessun diritto di chiamata dovrà essere corrisposto fino a 5 anni(*) di vita del prodotto.

8. Consulente tecnico: Sarà a disposizione un consulente tecnico per risolvere qualsiasi problema o difficoltà di comprensione dei termini della garanzia legale offerta sin dai primi 24 mesi dall'acquisto del prodotto.

9. Consulente commerciale: Alla scadenza dei 5 anni un tecnico specializzato avrà cura di contattarvi per verificare il corretto funzionamento del prodotto, darvi un breve aggiornamento sulle novità dei prodotti Elica SpA ed eventualmente supportarvi nell'acquisto agevolato di un nuovo prodotto con uno sconto speciale a voi riservato.

1. Installation and cleaning: State of the art installation carried out at your home by a specialised technician with the exclusive use of original Elica accessories (not included) within 5 days from request. This includes removal of protective film and cleaning with specified detergent.

2. First switch-on and testing: Verification that the product functions perfectly and emission of certificate of conformity in relation to standards in force (Declaration of conformity - Law 37/08).

3. Maintenance appointment: A specialised technician will visit your house during the 2nd year of the product's life in order to carry out routine maintenance: checking motor function, efficiency of consumable materials, lights and general appearance, cleaning grease filters, and completely cleaning the whole product.

4. Discount on accessories: With the Exclusive Pack, you get a 15% discount when buying ORIGINAL ELICA accessories at the www.elica.com website.

5. Technical assistance: Technical assistance will be supplied with no extra charge for up to 5 years(*) of the product's life.

6. Spare parts: The supply of original spare parts will be completely free for up to 5 years(*) of the product's life.

7. Minimum charge: No minimum charge will be requested for up to 5 years(*) of the product's life.

8. Technical consultant: A technical consultant will be available to solve any problem or difficulty concerning comprehension of the terms of the legal warranty offered for the first 24 months after the purchase of the product.

9. Commercial Consultant: After 5 years have passed, a specialised technician will contact you to verify the correct functioning of the product, update you briefly about new Elica products and, where desired, assist you in the purchase of a new product on easy terms with a special personalised discount.

GARANZIA

Conformemente alla Direttiva Europea 99/44/CE tutti i prodotti Elica sono garantiti 2 anni (Garanzia legale). La garanzia è valida su tutto il territorio della Comunità Europea.

SERVIZIO CLIENTI

Elica dispone in Italia di una capillare rete di Centri di Assistenza Tecnica Autorizzati. Per tutte le informazioni relative ai centri di assistenza Elica, a dove acquistare i prodotti e alle loro caratteristiche tecniche, contattate il Call Center Elica 800 888 444 dal lunedì al venerdì dalle ore 8.00 alle ore 20.00 e il sabato dalle ore 8.00 alle ore 13.00.

GUARANTEE

In conformity with European Directive 99/44/CE all Elica products are guaranteed for 2 years (legal guarantee). The guarantee is valid throughout the entire territory of the European Community.

CUSTOMER SERVICE

Elica has a widespread network of Authorised Technical Assistance Centres in Italy. For all information relating to Elica assistance centres, where to buy products and their technical features, contact the Elica Call Center 800 888 444 from 8.00 am to 8.00 pm Monday to Friday and from 8.00 am to 1.00 pm on Saturday.



PERCHÉ LA CAPP

LA CAPP

La sua funzione principale consiste nel migliorare la qualità dell'aria, eliminando i fumi della combustione, i cattivi odori e i vapori della cottura, dannosi sia per le persone che per mobili e pareti.

- La cappa è un prezioso alleato del tuo benessere. Per questo, scegliendo una cappa ci si deve assicurare che garantisca:
- Una performance di aspirazione adeguata alle tue necessità e al tuo ambiente, così da ottenere il giusto ricambio dell'aria e un minore consumo di energia elettrica
 - Una fonte di luce efficace per rendere più confortevole la preparazione dei cibi
 - Un design in linea con i tuoi gusti e le tue esigenze
 - Una buona usabilità e silenziosità

COME SCEGLIERLA

SCEGLI UNA CAPP

La cappa deve avere anche la giusta potenza di aspirazione. Valuta le dimensioni della tua cucina e le tue abitudini culinarie: solo così otterrai il giusto ricambio dell'aria e un minor consumo di energia elettrica.

Con un semplice calcolo è possibile definire quale sia la portata più adatta a ogni cucina. Basta moltiplicare per 10 il volume della stanza per ottenere la portata ideale.

Scegli con cura la tua cappa e porta aria nuova nella tua cucina.

MOLTEPLICI SONO LE POSSIBILITÀ DI INSTALLAZIONE, TROVA IL MODELLO CHE PIÙ SI ADATTA AL TUO AMBIENTE, AL TUO STILE DI VITA, AL TUO MODO DI ESSERE

- 1

A parete
La cucina è posizionata contro la parete con il piano cottura in adiacenza al muro. Cappa da installare a parete.
- 2

A isola
La cucina è posizionata al centro della stanza con il piano cottura distante dal muro. Cappa da installare a soffitto.
- 3

Ad angolo
La cucina è sviluppata tra due pareti della stanza e il piano cottura è posizionato a ridosso dell'angolo. Cappa da installare tra le pareti adiacenti.
- 4

A incasso
Il piano cottura è posizionato sotto un pensile. Cappa da installare all'interno del pensile.

WHY THE HOOD

THE HOOD IS ESSENTIAL TO BREATHE CLEAN AIR IN THE KITCHEN.

Its main function is to improve the quality of air, by eliminating burning fumes, bad cooking odours and vapours that are harmful to both people, furniture and walls.

- The hood is a valuable ally for your wellbeing. This is why, when choosing one, you need to make sure that it provides:
- Suction performance suitable for your needs and environment, in order to obtain proper air flow and lower electricity consumption
 - Effective light source to facilitate food preparation
 - Design that suits your taste and needs
 - Good usability and low noise level

HOW TO CHOOSE IT

CHOOSE A HOOD THAT FACILITATES YOUR WORK IN THE KITCHEN, AFFORDS FREEDOM OF MOVEMENT AND SIMPLIFIES FOOD PREPARATION.

The hood should also have the right suction power. Consider the size of your kitchen and your cooking habits: this is the only way to obtain the right air flow and lower electricity consumption.

A simple calculation allows understanding the most suitable capacity for every kitchen. Just multiply the volume of the room by 10 to obtain the ideal capacity.

Choose your hood carefully and bring new air into your kitchen.

THERE IS A WIDE RANGE OF INSTALLATION OPTIONS, FIND THE MODEL THAT BEST SUITS YOUR ROOM, LIFESTYLE AND WAY OF BEING


- 1

Wall-mounted
The kitchen unit is located against the wall with the cooktop adjacent to the wall. Hood to be mounted on the wall.
- 2

Island
The kitchen unit is located at the center of the room with the cooktop away from the wall. Hood to be mounted on the ceiling.
- 3

Corner
The kitchen unit extends along two walls of the room and the cooktop is located in the corner. Hood to be installed between the adjacent walls.
- 4

Built-in
The cooktop is located under a wall unit. Hood to be installed inside the wall unit.



COME INSTALLARLA

IL PERFETTO FUNZIONAMENTO DELLA CAPP

Molti i modelli elica sono predisposti per lavorare in entrambe le versioni. Prima di procedere all'installazione della tua cappa, tieni a mente queste semplici regole di base:

- Segui tutte le fasi indicate nel libretto di istruzioni del prodotto;
- Collega la cappa aspirante all'esterno con una tubazione dedicata dal diametro 120-150 millimetri: una lunghezza ridotta e l'assenza di curvature garantiscono prestazioni ottimali.
- Rispetta la distanza minima dal piano cottura indicata nel libretto, al fine di evitare danni alle parti funzionali e salvaguardare la sicurezza delle persone;
- Controlla che la posizione della presa elettrica sia in prossimità del prodotto per il collegamento.
- In caso di difficoltà richiedi l'intervento di un tecnico specializzato di tua fiducia;

Il montaggio e la manutenzione variano in base alla tipologia di cappa, aspirante o filtrante

- 5

CAPP
- 6

CAPP

COME AVERNE CURA

PER ASSICURARE UNA LUNGA DURATA E UN CORRETTO FUNZIONAMENTO DELLA TUA CAPP

- Due sono le tipologie di filtro:
- Il filtro grassi protegge la tua cappa trattenendo le particelle di grasso. Il filtro grassi in alluminio o inox richiede una pulizia periodica a mano con detergente neutro o in lavastoviglie a basse temperature(*). Mentre il filtro grassi carta va sostituito ogni mese in base all'utilizzo.
 - Il filtro odori, a carboni attivi, installato sulle cappe filtranti, cattura e trattiene le particelle odorose dell'aria. Ricorda di sostituirlo ogni 3-4 mesi. I filtri odori long life hanno invece una durata maggiore: vanno sostituiti ogni due anni.

Semplici e piccole accortezze ti aiuteranno a mantenere sana ed efficiente la tua cappa.

(*) Verificare sempre come lavare il filtro sul libretto d'istruzione del prodotto

HOW TO INSTALL IT

THE CORRECT OPERATION OF YOUR HOOD IS ONLY ENSURED IF IT IS INSTALLED BY SPECIALIZED TECHNICIANS. ASSEMBLY AND MAINTENANCE VARY ACCORDING TO THE TWO TYPES OF HOOD: DUCT-OUT AND RECIRCULATING.

Many elica models can operate in both versions. When installing your hood, bear in mind these simple basic rules:

- Follow all the steps shown in the instruction manual of the product;
- Connect the duct-out hood to the outside with a dedicated pipe: minimized length and absence of bends ensure better performance.
- Comply with the minimum distance from the cooktop specified in the manual, in order to avoid damaging working parts and ensuring people's safety;
- Make sure that the outlet che is close to the product for connection.
- In the event of difficulties, seek assistance from a reliable specialized technician;

Assembly varies according to the type of hood, duct-out or recirculating

- 5

DUCT-OUT HOOD
The duct-out hood exhausts air to the outside. This is the most used type, because it ensures high performance, high capacity and low noise level.
- 6

RECIRCULATING HOOD
The recirculating hood removes bad odours by means of a dedicated charcoal filter and reintroduces air into the kitchen. This type is suitable for rooms with no extractor duct, affords air saving and avoids thermal losses to the outside.


TAKING CARE OF IT

TO ENSURE THE LONG LIFE AND CORRECT OPERATION OF YOUR HOOD IN BOTH DUCT-OUT AND RECIRCULATING VERSIONS, THE FIRST STEP IS TO KEEP THE FILTERING SYSTEM IN GOOD CONDITION.

- There are two types of filters:
- The grease filter protects your hood by trapping particles of grease. The aluminum or stainless steel grease filter requires periodic cleaning by hand with neutral detergent or in the dishwasher at low temperature (*). The paper grease filter must be replaced every month depending on use.
 - The active charcoal filter installed on recirculating hoods, traps odour particles of air. Remember to replace it every 3-4 months. Long life filters have a longer life: they must be replaced every two years.

Simple precautions will help you keep your hood in perfect condition.

(*) Always follow the instructions for washing the filter on the manual of the product



Realizzato da Elica
realized by Elica

BARBARA PERSIGILLI
Coordination

VALERIA SPINSANTI
Graphic editing

in collaborazione con
in collaboration with

33 MULTIMEDIA STUDIO
Art direction
Graphic concept
Scenic design
Photorealistic 3D

SELECOLOR FIRENZE
Post production
Color separation

PAZZINI EDITORE, RIMINI
Printing

Il catalogo è di proprietà di Elica spa. Tutti i diritti sono riservati.
E' vietata ogni forma di riproduzione anche parziale.
This catalogue is of exclusive proprietà of Elica spa.
All rights are reserved. Any form of total or partial reproduction
of catalogue is strictly forbidden.

La stampa tipografica non sempre riproduce fedelmente le tinte
ed i materiali originali.
The printing process do not always permit a faithful
reproduction of tones and materials of originals.

Elica si riserva di apportare modifiche ai dati e i dettagli dei
prodotti presenti su questo catalogo anche senza preavviso.
Elica may at any time modify the specifications and details of
the products present in the catalogue.

Giugno 2014
June 2014